THE FARKER SWHIPPLE CO.

LIBRARY OF CONGRESS.

Jan.

Ja

UNITED STATES OF AMERICA





ILLUSTRATED CATALOGUE

OF

DOOR LOCKS, KNOBS,

AND

HARDWARE,

MANUFACTURED BY

THE PARKER & WHIPPLE CO.,

WEST MERIDEN, CONN.

15 12

NEW YORK OFFICE AND SAMPLE ROOM, 97 CHAMBERS STREET.

Harlod,
The ase odewood Braines to
1876.



15529

Copyrighted,
THE PARKER & WHIPPLE CO.,
1876.




INDEX.

\mathbf{A}	PAGE.
Ayla Pullaya	Chest Locks, 173-175
Axle Pulleys, 187	Cutting Plyers, 218
В	Coal Shovels, Fancy 201
	D
Bells, Call 217 Bells, Patent Gong Door 156, 157	Drawer Pulls, 188–190
Bells, Lyon's Patent Crank - 158	Door Stops, Willmot's Patent - 203
Bell Cranks, Mortise and End, - 159	
Bell Pulls, Mineral, Porcelain, and Silvered	D v 1
Glass 116, 117	Drawer Locks, 170–173
Bell Pulls, Lever and Bar Handle 118, 157	\mathbf{E}
Bell Pulls, Real Bronze 144	Escutcheons, Plate and Drop, 119, 120
Bolts, Chain 184, 185	Escutcheons, Shield 120
Bolts, Lever Foot 184, 185	Escutcheons, Porcel'n Plate and Drop 121, 122
Bolt, Mortise Door, with Thumb Knob, 192	Escutcheons, Real Bronze 145
Bolt, Mortise Front Door, with Knob, 22	-47
	${f F}$
Brackets, Shelf 193–195 Bars, Shutter 166	Foot Scrapers, 200
	Fire Iron Stands, 204
	Fish Lines, 208
Butts, Bronzed Metal Cap - 147, 148 Butts, Nickel Plated Metal Cap - 148	
	G
Butts, Real Bronze Loose Joint - 149	Gong Bells, 156-158
Butts, Bronzed Loose Joint 149	TT
Butts, Japanned Loose Joint 149	H
Butts, Loose Pin Acorn 150	Handles, Store Door, Solid Bronze, 179
Butts, Narrow Fast 151	Handles, Store Door, with Mortise Latch, 180
Butts, Broad Fast 152	Handles, Store Door, Ornamental, 181
Butts, Broad Fast Acorn, 153	Handles, Store Door, Japanned, 182, 183
Butts, Loose Joint 154	Harness Hooks, 199
Butts, Loose Joint Acorn 155	Hat Pins, 196 Hat and Coat Hooks, 196–199
Buttons, Cupboard 191	
Blower Stands, 204	Hooks, Clothes Line 198
C	Hooks, Wardrobe, 196
	Heel Corks, 201
Crank Door Bells, Lyon's Patent - 158	Hammers, 210
Cranks, Mortise and End 159	Hatchets, 210
Catches, Cupboard · 191	Hatch Scales, 209
Cupboard Buttons, 191	K
Cabin or Coal Tongs, 202	
Can Openers, 203	Keys, Cut or Blank 123-126 Key Plates, 119-122
Cover Lifters, 201	
Chalk Lines, 208	Knobs, Mineral and Porcelain Door,
Clothes Line Hooks, 198	Whipple's Patent, - 105-108
Chain Bolts, 184, 185	Knobs, Silvered Glass, Whipple's Patent, 109

INDEX. 5


											,
	s				The state of the s	Sliding Door Pull	s. As	tragal	_	_	PAGE.
Sash Cord Irons,					PAGE. 187	Stops, Sliding Do		_			186
						Store Door Hand					
Sash Fasteners,					5						
Sash Pulls, -	-	-	-	~	168	Strikers, Lock and					126
Sash Plates, -	-	-	-	-	168	Stubbs and Plates	,	-	-	-	187
Sash Lifts, -	-	-	-	167	7, 168						
Scales, Hatch and	Tea	-	-	- 1	209		,	Γ			
Scrapers, Foot	-	-	-	-	200	Tape Measures,	-	-	-	-	217
Screws, Round and	l Flat	He	ad Cap	d, 206	5, 207	Tobacco Boxes,	-	-	-	21	3-216
Screws, Side Knol	b	-	-	-	126	Timber Lines,	-	-	-	-	208
Shelf Brackets,	-	-	-	19	3-195	Towel Rollers,	-	-	-	-	192
Sheaves, Sliding I	Door	-	-	-	186	Tongs, Cabin or (Coal	-	-	-	202
Sheaves, Sliding S	hutte	r	-	-	186		~	7.7			
Sheaves, Patent R	oller	-	-	-	186		,	V			
Shutter Bars, -	-	-	-	-	166	Whipple's Patent	Doo	r Knol	os,	IC	5-109
Shutter Lifts,	-	-	-	-	187	Whipple's Patent	Doo	r Knol	os, R	eal	
Shutter Locks,	-	_	-	-	187	Bronze, -	-	-	-	-	141
Shutter Knobs,	-	-	-	-	169	Wardrobe Hooks	, -	-	-	-	196



MORTISE KNOB LOCK. EASY STEEL BOW SPRING.

REVERSIBLE.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
300	$3\frac{1}{2} \times 3\frac{1}{4}$ in.	Lacquered Iron Front and Strike, two Iron Bolts, Tinned Malleable Iron Key,	
301	$3\frac{1}{2}$ x $3\frac{1}{4}$ in.	Lacquered Iron Front and Strike, two Iron Bolts, Nickeled	
302	3½ x 3¼ in.	Thin Bit Key,	
303	3½ x 3½ in.	Thin Bit Key, Brass Front and Strike, two Iron Bolts, Nickeled Thin Bit	
304	3½ x 3½ in.	Key,	
		Key,	




NO. SIZE. DESCRIPTION.

Per Dozen,

00


1½ x 2½ in. Lacquered Iron Front and Strike, Iron Bolt,



ROUND EDGE.


NO. SIZE. DESCRIPTION. Per Dozen.

1 4 x 3 in. Lacquered Iron Front and Strike, Iron Bolt, - -



ROUND EDGE.

NO.	SIZE.	DESCRIPTION. Per Dozen	
1	$1\frac{1}{2} \times 3\frac{1}{2}$ in.	Brass Front, Bolt and Striker,	
2	$1\frac{1}{2} \times 3\frac{1}{2}$ in.	" and Striker, Iron Bolt,	
3	$1\frac{1}{2} \times 3\frac{1}{2}$ in.	Lacquered Iron Front, and Striker, Iron Bolt,	
31/2	$1\frac{1}{2} \times 3\frac{1}{2}$ in.	" " " " Brass Bolt,	
4	1½ x 3½ in.	Brass Front, Bolt, and Strike, Wrought Iron inside,	




......

MORTISE KNOB LATCH.

FOR THIN DOORS.

3-8 inch thick.

NO.	SIZE.			DI	ESCR	PTION.								Per Dozen.	
90	$1\frac{3}{4} \times 3\frac{1}{2}$ in.	Lacquered	Iron	Front	and	Strike,	Iron :	Bolt,		-		-		-	
91	$1\frac{3}{4} \times 3\frac{1}{2}$ in.	"	"	44	"	"	Brass	46	-		-		-		
92	13 x 31 in.	Brass		**	"	4.6	46	"		_		_		-	



HEAVY

MORTISE KNOB LATCH.

BRASS AND WROUGHT IRON INSIDE WORK.


NO.	SIZE.	DESCRIPTION.								Per Dozen.
80	$1\frac{5}{8} \times 3\frac{1}{2}$ in.	Brass Front and Strike, Brass Bolt,		-	-	-		-	-	
81	1 5 x 3 1 in.	Brass Front and Strike, Iron Bolt,	-	-		-	-	-		



Nos. 61-2 and 9.

FOR FRENCH WINDOWS, OR NARROW STILE DOORS.

NO.	SIZE.	DESCRIPTION. Per Dozen.
612	$2\frac{1}{2} \times 1\frac{1}{2}$ in.	Brass Front, Bolt, Hub, and Strike,
9	23 x 13 in.	Lacquered Iron Front and Strike, Brass Bolt, Brass Hub, -



Nos. 6 and 8.


RABBETED MORTISE KNOB LATCH.

FOR FRENCH WINDOWS, OR NARROW STILE DOORS.

NO. SIZE. DESCRIPTION. Per Dozen.

6 2½ x 1½ in. Brass Front, Bolt, Hub, and Strike,

8 2½ x 1½ in. Lacquered Iron Front and Strike, Brass Bolt, Brass Hub, -




RABBETED MORTISE KNOB LATCH.

FOR SASH OR BLIND DOORS.

NO. SIZE. DESCRIPTION. Per Dozen.

5 - 1½ x 2¾ in. Brass Bolt and Hub, Lacquered Iron Front and Strike, $\,$ -



FOR SLIDING DOORS.

NO. SIZE. DESCRIPTION. Per Dozen.


73 3½ x 2½ in. Brass Front, Bolt, Hub, and Strike, - - - -



No. 71.

ASTRAGAL FRONT FOR SLIDING DOORS.

NO.	SIZE.	DESCRIPTION.			P	er Dozen.
71	21 v 21 in	Brass Front Rolt Hub and Strike		_		




Nos. 95 and 95 1-2.

MORTISE NIGHT LATCH.

BRASS INSIDE WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
95	2 x 31 in.	Brass Front, Strike, and Bolt, two Brass Night Keys, Brass	
		Slide Knob,	
951/2	2 x 3¼ in.	Brass Front, Striker, and Bolt, two Nickeled Night Keys, Sil-	
		ver Plated Slide Knob and Escutcheon,	



No. 82.


HEAVY MORTISE STORE DOOR LATCH.

NO. SIZE.

DESCRIPTION.

Per Dozen.

82 $3\frac{1}{4} \times 3\frac{1}{2}$ in. Brass Front, Strike, Hub, and Bolt, -



No. 83.


RABBETED MORTISE STORE DOOR LATCH.

NO. SIZE.

DESCRIPTION.

Per Dozen.

83 3½ x 3½ in. Brass Front, Strike, and Hub, Brass Guarded Bolt,




Nos. 40 to 43.

MORTISE BOLT AND LATCH.

FOR BEDROOM DOORS, WATER-CLOSETS, ETC.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
40	$3\frac{1}{2} \times 2\frac{1}{2}$ in.	Lacquered Iron Front and Strike, Two Iron Bolts, Brass Turn	
		Knob and Plate,	
41	$3\frac{1}{2} \times 2\frac{1}{2} \text{ in.}$	Lacquered Iron Front and Strike, Two Brass Bolts, Brass Turn	
		Knob and Plate,	
42	$3\frac{1}{2} \times 2\frac{1}{2} \text{ in.}$	Brass Front and Strike, Two Iron Bolts, Silver Plated Turn	
		Knob and Plate,	
43	$3\frac{1}{2} \times 2\frac{1}{2} \text{ in.}$	Brass Front and Strike, Two Brass Bolts, Silver Plated Turn	
		Knob and Plate,	




No. 32 and 32 1-2.

MORTISE TURNBUCKLES.


FOR FRENCH WINDOWS, OR CUPBOARD DOORS.

NO.	SIZE.	DESCRIPTION.							Per Dozen.
32	2½ x 18 in.	Brass Front and Strike, Iron Bolt,		-	-	-	-	-	
321/2	2½ x 18 in.	Brass Front, Strike, and Bolt, -	_	_	_	_	_		



HEAVY MORTISE BOLT.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
7	34 x 35 in.	Brass Front, Bolt, Hub, and Strike, Mineral Knob, Japanned	
		Mountings,	
712	3½ x 3½ in.	Brass Front, Bolt, Hub, and Strike, Porcelain Knob, Japanned	
		Mountings,	
734	3½ x 3½ in.	Brass Front, Bolt, Hub, and Strike, Porcelain Knob, Plated	
		Mountings,	



Nos. 39 and 39 1-2.


MORTISE DEAD LOCK.

FOR CUPBOARD DOORS.

NO. SIZE. DESCRIPTION. Per Dozen.


39 1½ x 2¼ in. Lacquered Iron Front and Strike, Iron Bolt and Key, - -

39½ 1½ x 2½ in. Lacquered Iron Front and Strike, Iron Bolt, Brass Keys,



MORTISE DEAD LOCK.

NO.	SIZE.	DESCRIPTION.												Per Dozen.
35	2 x 3½ in.	Brass	Front	and	Strike,	Brass	Bolt,	Brass	Key,	-	-		-	
36	2 x 3¼ in.	"	"	"	"	Iron	"	"	"	-	-	-		
37	2 x 3‡ in.	Iron	"	44	"	Brass	Bolt,	Brass	Key,		-		-	
38	2 x 3¼ in.	44	"	66	"	Iron	"	Tinne	d Key,		-	-		




Nos. 26 to 28 and 60 to 62.

MORTISE DEAD LOCKS.

WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
26	$2\frac{1}{2} \times 3\frac{1}{2}$ in.	Lacquered Iron Front and Strike, Iron Bolt, Nickeled Thin Bit Key, one Tumbler,	
27	$2\frac{1}{2} \times 3\frac{1}{2}$ in.	Lacquered Iron Front and Strike, Brass Bolt, Nickeled Thin Bit Key, one Tumbler,	
28	$2\frac{1}{2} \times 3\frac{1}{2}$ in.	Lacquered Iron Front and Strike, Brass Bolt, Nickeled Thin Bit Key, three Tumblers,	
60	$2\frac{1}{2} \times 3\frac{1}{2}$ in.	Iron Bolt, Brass Front, and Strike, Nickeled Thin Bit Key, one Tumbler,	
61	$2\frac{1}{2} \times 3\frac{1}{2}$ in.	Brass Bolt, Front, and Strike, Nickeled Thin Bit Key, one Tumbler,	
62	2½ x 3½ in.	Brass Bolt, Front, and Strike, Nickeled Thin Bit Key, three Tumblers,	




Nos. 56, 57, and 58.

MORTISE DEAD LOCKS.

FOR THIN DOORS.

3-8 inch thick.

NO.	SIZE.	DESCRIPTION.										Per Dozen.
56	2½ x 3½ in.	Lacquered	Iron	Front	and	Strike,	Iron	Bolt,	Tinned	Key,	-	
57	24 x 31 in.	4.6	**	46		6.6	"	"	Brass	"	-	
58	2½ x 3½ in.	44	6.6	"	44	"	Brass	"	"	"	-	



MORTISE DEAD LOCK.


FOR SLIDING BARN DOORS.

NO. SIZE

DESCRIPTION.

Per Dozen.

701 3½ x 4½ in. Lacquered Iron Front and Strike, Curved Iron Bolt, Brass Key, 24 changes, - - - - - - - - -




HEAVY MORTISE

STORE DOOR DEAD LOCKS.

EXTRA SAFE.

WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
330	3 x 3¼ in.	Heavy Brass Front, Bolt, and Strike, four Wrought Iron Tumblers, two Nickel Plated Steel Keys, Revolving Key-Hole Bushing,	
334	3 x 3½ in.	Heavy Brass Rabbeted Front and Strike, Brass Bolt, four Wrought Iron Tumblers, two Nickel Plated Steel Keys, Revolving Key-Hole Bushing,	




Nos. 360, 361, and 362.

MORTISE KNOB LOCKS.

FOR CUPBOARD OR REFRIGERATOR DOORS.

NO.	SIZE.	DESCRIPTION.										Per Dozen.
360	3½ x 2½ in.	Lacquered	Iron	Front	and	Strike,	Iron !	Bolts,	Tinned	Key,	-	
361	3½ x 2½ in.		"	"	"	"	"	"	Brass	"	-	
362	3½ x 2½ in.	"	٠.	"	"	, (Brass	s "	"	"	-	




Nos. 430 to 434.

PATENT REVERSIBLE LATCH BOLT.

ROUND EDGE.

EASY STEEL BOW SPRING.

NO.	SIZE.	DESCRIPTION.	Per Dozen.			
430	$3\frac{1}{2} \times 3\frac{1}{4}$ in.	Lacquered Iron Front and Strike, two Iron Bolts, Tinned				
		Malleable Iron Key, 12 Changes,				
431	3½ x 3½ in.	Lacquered Iron Front and Strike, two Iron Bolts, Brass Key,				
		12 Changes,				
432	3½ x 3½ in.	Lacquered Iron Front and Strike, two Brass Bolts, Brass Key,				
		12 Changes,				
433	3½ x 3½ in.	Brass Front and Strike, two Iron Bolts, Brass Key, 24 Changes,				
434	3½ x 3½ in.	Brass Front and Strike, two Brass Bolts, Brass Key, 24 Changes,				
101	J2 J + 1	21402 2 1010 and 201110, 010 21400 2010, 21400 220,				
Т	These Locks are packed half-dozen in a box, all different Keys, and numbered in sets, 1, 2,					
etc.	Reverse by	pulling Latch Bolt forward, and turning half round.				




Nos. 410 to 414.

EASY SPRING.

REVERSIBLE BY REMOVING THE CAP.

ROUND EDGE.

NO.	SIZE.	DESCRIPTION. Lacquered Iron Front and Strike, two Iron Bolts, Tinned	Per Dozen.
	32 31	Malleable Iron Key, 24 Changes,	
411	3½ x 3¼ in.	Lacquered Iron Front and Strike, two Iron Bolts, Nickeled Thin Bit Key, 24 Changes,	
412	3½ x 3¼ in.	Lacquered Iron Front and Strike, two Brass Bolts, Nickeled Thin Bit Key, 24 Changes,	
413	3½ x 3¼ in.	Brass Front and Strike, two Iron Bolts, Nickeled Thin Bit Key, 24 Changes,	
414	3½ x 3¼ in.	Brass Front and Strike, two Brass Bolts, Nickeled Thin Bit Key, 24 Changes,	



Nos. 500 to 504.

EASY SPRING.

PATENT REVERSIBLE LATCH BOLT.

ROUND EDGE.

WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
500	$3\frac{1}{2} \times 3\frac{1}{4}$ in.	Lacquered Iron Front and Strike, two Iron Bolts, Tinned Malleable Iron Key, 24 Changes,	
501	3½ x 3¼ in	Lacquered Iron Front and Strike, two Iron Bolts, Nickeled Thin Bit Key, 24 Changes,	
502	3½ x 3¼ in.	Lacquered Iron Front and Strike, two Brass Bolts, Nickeled Thin Bit Key, 24 Changes,	
503	3½ x 3¼ in.	Brass Front and Strike, two Iron Bolts, Nickeled Thin Bit Key, 24 Changes,	
504	3½ x 3¼ in.	Brass Front and Strike, two Brass Bolts, Nickeled Thin Bit Key, 24 Changes,	

These Locks are packed half-dozen in a box, all different Keys, and numbered in sets 1, 2, etc., the 4 sets making 24 Changes. Reverse by pulling Latch Bolt forward, and turning half round.



Nos, 473 to 479.


WITH PATENT REVERSIBLE LATCH BOLT.

WROUGHT IRON INSIDE WORK.

ROUND EDGE.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
473	4 x 3½ in.	Brass Front, Strike, and Bolts, 3 Wrought Iron Rack Tumblers, Nickeled Steel Bit Key, 72 Changes,	
474	4 x 3½ in.	Brass Front, Strike, and Bolts, 2 Wrought Iron Rack Tumblers, Nickeled Steel Bit Key, 48 Changes,	
475	4 x 3½ in.	Brass Front, Strike, and Bolts, I Wrought Iron Rack Tumbler, Nickeled Steel Bit Key, 24 Changes,	
476	4 x 3½ in.	Brass Front and Strike, 2 Iron Bolts, I Wrought Iron Rack Tumbler, Nickeled Steel Bit Key, 24 Changes,	
477	4 x 3½ in.	Lacquered Iron Front and Strike, 2 Brass Bolts, 1 Wrought Iron Rack Tumbler, Nickeled Steel Bit Key, 24 Changes,	
478	4 x 3½ in.	Lacquered Iron Front and Strike, 2 Iron Bolts, 1 Wrought Iron Rack Tumbler, Nickeled Steel Bit Key, 24 Changes, -	
479	4 x 3½ in.	Lacquered Iron Front and Strike, 2 Iron Bolts, I Wrought Iron Rack Tumbler, Tinned Malleable Iron Key, 24 Changes,	

These Locks are Packed half-dozen in a box, all different Keys, and numbered in sets, 1, 2, etc. Reverse by pulling Latch Bolt forward and turning half round.



Nos. 514 to 518.


FOR THIN DOORS.

3-8 inch thick.

WROUGHT IRON INSIDE WORK.

ROUND EDGE.

NO.	SIZE.	DESCRIPTION.	Per Dozen.			
514	$4\frac{1}{2} \times 3\frac{1}{2}$ in.	Lacquered Iron Front and Strike, Iron Bolt, Tinned Key, 18 Changes,				
515	4½ x 3½ in.	Lacquered Iron Front and Strike, Iron Bolt, Brass Key, 18 Changes,				
516	$4\frac{1}{2} \times 3\frac{1}{2}$ in.	Lacquered Iron Front and Strike, Brass Bolt, Brass Key, 18 Changes,				
517	$4\frac{1}{2} \times 3\frac{1}{2}$ in.	Brass Front and Strike, Iron Bolt, Brass Key, 18 Changes, -				
518	$4\frac{1}{2} \times 3\frac{1}{2}$ in.	Brass Front and Strike, Brass Bolt, Brass Key, 18 Changes,				
The above Locks are packed in sets marked 1, 2, 3, each set having different Keys, and						
the t	the three sets making 18 Changes.					




LEVER MORTISE KNOB LOCK.

WROUGHT IRON INSIDE WORK.

REVERSIBLE BY REMOVING THE CAP.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
48	$4\frac{1}{4} \times 3\frac{1}{2}$ in.	Lacquered Iron Front and Strike, two Brass Bolts, Brass Key,	
50	$4\frac{1}{4} \times 3\frac{1}{2}$ in.	Brass Front and Strike, two Brass Bolts, Brass Key,	
51	$4\frac{1}{4} \times 3\frac{1}{2}$ in.	Brass Front and Strike, two Brass Bolts, Brass Hub and Key,	
511	$4\frac{1}{4} \times 3\frac{1}{2}$ in.	Brass Front and Strike, two Iron Bolts, Brass Key,	



WITH PATENT REVERSIBLE LATCH BOLT.

WROUGHT IRON INSIDE WORK.

ROUND EDGE.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
606	4 ³ / ₄ x 3 ¹ / ₂ in.	Brass Front and Strike, two Iron Bolts, one Rack Tumbler, Nickeled Steel Bit Key, 24 Changes,	
607	4 ³ / ₄ x 3 ¹ / ₂ in.	Brass Front and Strike, two Brass Bolts, one Rack Tumbler, Nickeled Steel Bit Key, 24 Changes,	
608	4 ³ / ₄ x 3 ¹ / ₂ in.	Brass Front and Strike, two Brass Bolts, two Rack Tumblers, Nickeled Steel Bit Key, 48 Changes,	
609	4 ³ / ₄ x 3 ¹ / ₂ in.	Brass Front and Strike, two Brass Bolts, three Rack Tumblers, Nickeled Steel Bit Key, 100 Changes,	
610	4 ³ / ₄ x 3 ¹ / ₂ in.	Brass Front and Strike, two Brass Bolts, Nickeled Brass Key, three Wrought Iron Rack Tumblers,	
611	4 ³ / ₄ x 3 ¹ / ₂ in.	Brass Front and Strike, two Brass Bolts, Nickeled Brass Key, two Wrought Iron Rack Tumblers,	
612	4¾ x 3½ in.	Brass Front and Strike, two Brass Bolts, Nickeled Brass Key, one Wrought Iron Rack Tumbler,	
613	$4\frac{3}{4} \times 3\frac{1}{2}$ in.	Brass Front and Strike, two Iron Bolts, Nickeled Brass Key, one Wrought Iron Rack Tumbler,	
R	everse by pull	ling out Latch Bolt, and turning half round.	

PACKED HALF DOZEN IN A BOX.



Nos. 625 to 628.

THREE BOLT MORTISE KNOB LOCKS.

ROUND EDGE.

WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
625	4 ³ x 3 ¹ / ₂ in.	Lacquered Iron Front, three Iron Bolts, Brass Thumb Knob and Plate, Nickeled Thin Bit Key, one Wrought Iron Rack Tumbler, 24 Changes,	
626	4 ³ / ₂ x 3 ¹ / ₂ in.	Lacquered Iron Front, three Brass Bolts, Brass Thumb Knob and Plate, Nickeled Thin Bit Key, one Wrought Iron Rack Tumbler, 24 Changes,	
627	4 ³ / ₂ x 3 ¹ / ₂ in.	Brass Front, three Brass Bolts, Brass Striker, Plated Thumb, Knob and Plate, Nickeled Thin Bit Key, one Wrought Iron Rack Tumbler, 24 Changes,	
628	4 ³ / ₄ x 3 ¹ / ₂ in.	Brass Front, three Brass Bolts, Brass Striker, Plated Thumb Knob and Plate, Nickeled Thin Bit Key, three Wrought Iron Rack Tumblers, 100 Changes,	

These Locks are put up one-half dozen in a box, all different, and numbered in sets 1, 2, 3, etc. Reverse by pulling Latch Bolt forward, and turning half round.


HEAVY MORTISE KNOB LOCKS.

WITH

PATENT REVERSIBLE LATCH BOLT.

WROUGHT IRON INSIDE WORK.

NO.	SIZE,	DESCRIPTION.	Per Dozen.
601	5 × 4	Brass Front and Strike, two Brass Bolts, three Rack Tumblers, Nickeled Thin Bit Key, 100 Changes,	
603	5 x 4	Brass Front and Strike, two Brass Bolts, one Rack Tumbler, Nickeled Thin Bit Key,	!
605	5 x 4	Brass Front and Strike, two Iron Bolts, one Rack Tumbler, Nickeled Thin Bit Key,	



Nos. 65 and 66.
This cut represents one-quarter size of Lock.

With Disconnected Key-Holes,


FOR HOTEL OR CHAMBER DOORS.

WROUGHT IRON INSIDE WORK.

NO. SIZE. DESCRIPTION. Per Dozen.


65 5 x 3½ in. Brass Front and Strike, three Brass Bolts, Brass Key,

66 5 x 3½ in. " " " Iron " " " - -



FOR FRENCH WINDOWS AND NARROW STILE DOORS.

NO.	SIZE.	DESCRIPTION.				Per Dozen.
405	33 x 11 in.	Brass Front, Bolt, Hub, and Strike, Brass Key,	-	-	-	
408	24 v 11 in	Iron Front and Strike Brass Bolt Hub and Key		_	_	



RABBETED MORTISE KNOB LOCKS.

FOR FRENCH WINDOWS AND NARROW STILE DOORS.

NO. SIZE.


DESCRIPTION.

Per Dozen.

406 3³/₄ x 2 in.
407 3³/₄ x 2 in.

34 x 2 in. Brass Front and Strike, two Brass Bolts, Brass Hub and Key,

Iron Front and Strike, two Brass Bolts, Brass Hub and Key,



No. 520.

RABBETED MORTISE KNOB LOCKS.

FOR FOLDING DOORS.


NO. SIZE. DESCRIPTION.

Per Dozen.

520

4³/₄ x 3¹/₈ in. Brass Front and Strike, two Brass Guarded Bolts, Brass Key,

PACKED QUARTER DOZEN IN A BOX.



RABBETED MORTISE KNOB LOCKS.

FOR FOLDING DOORS.

NO. SIZE

DESCRIPTION.

Per Dozen.

521 5 x 3 x in. 525 5 x 3 x in. Brass Front and Strike, two Brass Guarded Bolts, Brass Key, Lacquered Iron Front and Strike, two Brass Guarded Bolts, Brass Key,

PACKED QUARTER DOZEN IN A BOX.



No. 53.

MORTISE KNOB LOCKS.

ASTRAGAL FRONT FOR SLIDING DOORS.
BRASS INSIDE WORK.


NO. SIZE.

DESCRIPTION.

Per Dozen.

 $53 5\frac{1}{2} \times 3\frac{1}{2} \text{ in.}$

Brass Front and Strike, two Brass Bolts, Brass Hub and Key,
PACKED ONE IN A BOX.



HEAVY FRONT DOOR MORTISE KNOB LOCKS.

PATENT REVERSIBLE LATCH BOLT, WITH NIGHT WORK.

BRASS AND WROUGHT IRON INSIDE WORK.


5-16 inch Spindle.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
550	5½ x 4½ in.	Brass Bolts, Front, Strike, and Hub, Silver Plated Turn Knob and Plate, two Nickeled Night Keys, one Tumbler, one Nickeled Key for Locking Bolt, one Tumbler,	
551	5½ x 4½ in.	Iron Front, Brass Bolts and Hub, Silver Plated Turn Knob and Plate, two Nickeled Night Keys, one Tumbler, one Nickeled Key for Locking Bolt, one Tumbler,	
450	$5\frac{1}{2} \times 4\frac{1}{2}$ in.	Brass Bolts, Front, Strike, and Hub, Silver Plated Turn Knob and Plate, two Nickeled Night Keys, one Tumbler, one Nickeled Key for Locking Bolt, three Tumblers,	
451	5½ x 4½ in.	Iron Front, Brass Bolts and Hub, Silver Plated Turn Knob and Plate, two Nickeled Night Keys, one Tumbler, one Nickeled Key for Locking Bolt, three Tumblers,	
452	5½ x 4½ in.	Brass Bolts, Front, Strike, and Hub, Silver plated Turn Knob and Plate, two Nickeled Night Keys, three Tumblers, one Nickeled Key for Locking Bolt, one Tumbler,	
4521/2	5½ x 4½ in.	Iron Front, Brass Bolts and Hub, Silver Plated Turn Knob and Plate, two Nickeled Night Keys, three Tumblers, one Nickeled Key for Locking Bolt, one Tumbler,	
453	$5\frac{1}{2} \times 4\frac{1}{2}$ in.	Brass Bolts, Front, Strike and Hub, Silver Plated Turn Knob and Plate, two Nickeled Night Keys, three Tumblers, one Nickeled Key for Locking Bolt, three Tumblers,	

Reverse by pulling Latch Bolt forward, and turning half round.

Vestibule Latches Nos. 85, 87, 85½, 87½ match with the above Locks, and will be packed in Sets with Keys to pass, when desired. For Cut of Latches, see page 58.

PACKED ONE IN A BOX.



Nos. 851-2, 871-2, 85, and 87.

MORTISE NIGHT LATCHES.

FOR VESTIBULE OR INNER HALL DOORS.

PATENT REVERSIBLE LATCH BOLT.

BRASS AND WROUGHT IRON INSIDE WORK.

5-16 inch Spindle.


To Match Locks Nos. 550 and 450 to 453.

1			
NC	o. size.	DESCRIPTION.	Per Doze
853	ź 4 x 3½ in.	Iron Front, Brass Bolt and Hub, Silver Plated Turn Knob and	
		Plate, two Nickeled Keys, one Tumbler,	
871/	€ 4 x 3½ in.	Iron Front, Brass Bolt and Hub, Silver Plated Turn Knob and	
		Plate, two Nickeled Keys, three Tumblers,	
85	4 x 3½ in.	Brass Front, Strike, Bolt, and Hub, Silver Plated Turn Knob	
		and Plate, two Nickeled Keys, one Tumbler,	
87	4 x 3½ in.	Brass Front, Strike, Bolt, and Hub, Silver Plated Turn Knob	
		and Plate, two Nickeled Keys, three Tumblers,	
	Reverse by pul	lling Latch Bolt forward, and turning half round.	

These Latches are intended for inner or Vestibule Doors, and when desired will be put up in sets with the Front Door Locks on page 57, with keys to pass both Lock and Latch.

In ordering in sets, give the number of both Lock and Latch.

PACKED QUARTER DOZEN IN A BOX.



HEAVY RABBETED

FRONT DOOR MORTISE KNOB LOCKS.

WITH NIGHT WORK.


BRASS AND WROUGHT IRON INSIDE WORK.

5-16 inch Spindle.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
454	5½ x 4½ in.	Brass Guarded Bolts, Brass Front, Strike, and Hub, Silver Plated Turn Knob and Plate, two Nickeled Steel Bit Night Keys, one Tumbler, one Nickeled Key for Locking Bolt, one Tumbler,	
455	5½ x 4½ in.	Brass Guarded Bolts, Brass Front, Strike, and Hub, Silver Plated Turn Knob and Plate, two Nickeled Steel Bit Night Keys, three Tumblers, one Nickeled Key for Locking Bolt, one Tumbler,	
456	5½ x 4½ in.	Brass Guarded Bolts, Brass Front, Strike, and Hub, Silver Plated Thumb Knob and Plate, two Nickeled Steel Bit Night Keys, one Tumbler, one Nickeled Key for Locking Bolt, three Tumblers,	
457	5½ x 4½ in.	Brass Guarded Bolts, Brass Front, Strike, and Hub, Silver Plated Thumb Knob and Plate, two Nickeled Steel Bit Night Keys, three Tumblers, one Nickeled Key for Locking Bolt, three Tumblers,	
Vestibule Latches Nos. 86 and 88, match with the above Locks, and will be packed in sets			

with Keys to pass, when desired. See page 63.

PACKED ONE IN A BOX.



RABBETED MORTISE NIGHT LATCHES.

FOR VESTIBULE OR INNER HALL DOORS.

BRASS AND WROUGHT IRON INSIDE WORK.

5-16 inch Spindle.


To Match Locks Nos. 454 to 457.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
86	4 x 3½ in.	Heavy Brass Front, Brass Guarded Bolt, Brass Hub and Strike,	
		two Nickeled Steel Bit Keys, Silver Plated Turn Knob and	
		Plate, one Wrought Iron Tumbler,	
88	4 x 3½ in.	Heavy Brass Front, Brass Guarded Bolts, Brass Hub and Strike, two Nickeled Steel Bit Keys, Silver Plated Turn Knob and	
		Plate, three Wrought Iron Tumblers,	

These Latches are intended for Inner or Vestibule Doors, and when desired will be put up in sets with the Front Door Locks on page 61, with Keys to pass both Lock and Latch.

In ordering in sets, give the number of both Lock and Latch.


PACKED QUARTER DOZEN IN A BOX.




RURAL HORIZONTAL RIM DEAD LOCKS.

NO. SIZE. DESCRIPTION. Per Dozen.


21 2³/₄ x 3 in. Iron Bolt, Bronzed Iron Key, - - - - - -



NO.	SIZE.	DESCRIPTION.	Per Dozen.
		Iron Bolt, Tinned Malleable Iron Key,	




			D T
NO.	SIZE.	DESCRIPTION.	Per Dozen.
220	2½ x 3½ in.	Iron Bolt, Tinned Malleable Iron Key,	
221	2½ x 3½ in.	" " Brass Key,	
222	2½ x 3½ in.	Brass Bolt, " "	
225	2½ x 3½ in.	Iron Bolt, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	
226	2½ x 3½ ln.	Iron Bolt, Nickeled Steel Bit Key, two Wrought Iron Rack Tumblers,	
227	2½ x 3½ in.	Iron Bolt, Nickeled Steel Bit Key, three Wrought Iron Rack Tumblers,	
228	2½ x 3½ in.	Brass Bolt, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	
229	2½ x 3½ in.	Brass Bolt, Nickeled Steel Bit Key, two Wrought Iron Rack Tumblers,	
230	2½ x 3½ in.	Brass Bolt, Nickeled Steel Bit Key, three Wrought Iron Rack Tumblers,	




Nos. 263 to 267.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
260	3 x 4 in.	Iron Bolt, Tinned Malleable Iron Key,	
261	3 x 4 in.	" " Brass Key,	
262	3 x 4 in.	Brass Bolt, " "	
263	3 x 4 in.	Iron Bolt, Nickeled Steel Bit Key, three Wrought Iron Rack Tumblers,	
264	3 x 4 in.	Brass Bolt, Nickeled Steel Bit Key, three Wrought Iron Rack Tumblers,	- 1
265	3 x 4 in.	Brass Bolt, Nickeled Steel Bit Key, two Wrought Iron Rack Tumblers,	
266	3 x 4 in.	Brass Bolt, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	
267	3 x 4 in.	Iron Bolt, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	




Nos. 270 to 272,

NO.	SIZE.	DESCRIPTION. Po	er Dozen.
270	$3\frac{1}{2}$ x 5 in.	Iron Bolt, Tinned Malleable Iron Key,	
271	$3\frac{1}{2}$ x 5 in.	" " Brass Key,	
272	$3\frac{1}{2}$ x 5 in.	Brass " " "	



HORIZONTAL RIM DEAD LOCKS.

NO.	SIZE.				1	DESCI	RIPTIO	ON.											Per Doz	en.
280	$3\frac{1}{2} \times 6$ in.	Iron B	olt,	Tinne	d Ma	alleal	ble Ir	on I	ζey,	-		-		-		-		-		
281	$3\frac{1}{2} \times 6$ in.	"	"	Brass	Key	,	-	~	-		-		-		-		-			
282	3½ x 6 in.	Brass	"	"	"	-	-		-	-		-		-		-		-		
283	$3\frac{1}{2} \times 6$ in.	Iron	"	"	"	two	Tun	blei	s,		~		-		-		-			
284	3½ х б in.	ii.	"	"	"	thre	ee	"		-		-		-		-		-		
285	3½ x 6 in.	Brass	66	"	"	two		"	-		-		-		-		-			
286	3½ х б in.	"	"	"	"	thre	ee	"		-		-		-		-		-		
287	$4^{\frac{1}{2}} \times 7$ in.	Iron B	olt,	one B	rass	Key	, one	Tur	nbler,		-		-		-		-			
288	$4^{\frac{1}{2}}$ x 7 in.	"	"	two	**	"	thre	е	"	-		-		-		-		-		
289	$4\frac{1}{2}$ x 7 in.	Brass	"	"	"	"	five		"		-		-		-		-			




Half Size. No. 29.

RIM DEAD LOCKS.

RURAL CASE.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
23	$2\frac{1}{2} \times 3\frac{3}{4}$ in.	Iron Bolt, Bronzed Iron Key,	
2312	2½ x 3¾ in.	" " Brass Key,	
29	24 x 34 in.	Brass Bolt, one Brass Key, three Wrought Iron Tumblers, -	
2912	2 ⁸ / ₄ x 3 ³ / ₄ in.	" " two Brass Keys, "· " " " -	



Half Size. No. 25.

RIM DEAD LOCKS.

RURAL CASE.

NO.	SIZE.	. DESCRIPTION.						Per Dozen.
25	4½ x 5 in.	Iron Bolt one Brass Key, one Tumbler,		-	-	-	-	
251/3	43 x 5 in.	" " two Brass Keys, one "	_	_	_	-		


UPRIGHT RIM STORE DOOR DEAD LOCKS.

FOR RIGHT OR LEFT HAND DOORS.

WROUGHT IRON INSIDE WORK.

NICKEL PLATED PATENT FOLDING STEEL KEYS.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
0241	4 x 2½ in.	Heavy Iron Bolt, two Steel Folding Keys, one Tumbler, Revolving Key Hole Bushing,	
0242	4 x 2½ in.	Heavy Brass Bolt, two Steel Folding Keys, one Tumbler, Revolving Key Hole Bushing,	
0243	4 x 2½ in.	Heavy Brass Bolt, two Steel Folding Keys, three Tumblers, Revolving Key Hole Bushing,	
		BRASS KEYS.	
241	4 x 2½ in.	Heavy Iron Bolt, two Brass Keys, one Tumbler,	
242	4 x 2½ in.	Heavy Brass Bolt, two Brass Keys, one Tumbler,	
243	4 x 2½ in.	Heavy Brass Bolt, two Brass Keys, three Tumblers,	




UPRIGHT RIM STORE DOOR DEAD LOCKS.

FOR RIGHT OR LEFT HAND DOORS.

WROUGHT IRON INSIDE WORK.

NICKEL PLATED PATENT FOLDING STEEL KEYS.


NO.	SIZE.	DESCRIPTION.	Per Dozen.
		FOLDING KEYS.	
0244	6 x 3½ in.	Heavy Iron Bolt, one Steel Folding Key, one Tumbler, Revolving Key Hole Bushing,	
0245	6 x 3½ in.	Heavy Iron Bolt, two Steel Folding Keys, one Tumbler, Revolving Key Hole Bushing,	
0246	6 x 3½ in.	Heavy Iron Bolt, two Steel Folding Keys, two Tumblers, Revolving Key Hole Bushing,	
0247	6 x 3½ in.	Heavy Iron Bolt, two Steel Folding Keys, three Tumblers, Revolving Key Hole Bushing,	
0248	6 x 3½ in.	Heavy Brass Bolt, two Steel Folding Keys, three Tumblers, Revolving Key Hole Bushing,	
0249	бх 3½ in.	Heavy Iron Bolt, two Steel Folding Keys, five Tumblers, Revolving Key Hole Bushing,	
0250	6 x 3½ in.	Heavy Brass Bolt, two Steel Folding Keys, five Tumblers, Revolving Key Hole Bushing,	
		BRASS KEYS.	
244	6 x 3½ in.	Heavy Iron Bolt, one Brass Key, one Tumbler,	
245	6 x 3½ in.	Heavy Iron Bolt, two Brass Keys, one Tumbler,	
246	6 x 3½ in.	Heavy Iron Bolt, two Brass Keys, two Tumblers,	
247	6 x 3½ in.	Heavy Iron Bolt, two Brass Keys, three Tumblers,	
		RURAL CASE.	
24	7 x 4 in.	Iron Bolt, two Brass Keys, one Tumbler,	
239	7 x 4 in.	Iron Bolt, one Brass Key, one Tumbler,	
240	7 x 4 in.	Iron Bolt, two Brass Keys, two Tumblers,	



Nos. 11 and 14.

HORIZONTAL RIM KNOB LATCH.


NO.	SIZE.	DESCRIPTION.	Per Dozen.
-11	2½ x 3¾ in.	Solid Front, Iron Bolt,	
14	2½ x 3¾ in.	Solid Front, Brass Bolt,	
15	24 x 34 in.	Open Flange, Iron Bolt,	



HORIZONTAL RIM KNOB LATCH.


PATENT SLIDE BOLT.

SIZE.	DESCRIPTION.	Per Dozen.
2¾ x 3¾ in.	Solid Front, Brass Bolt, Brass Slide Bolt,	- 4
2¾ x 3¾ in.	Solid Front, Iron Bolt, Brass Slide Bolt,	
2¾ x 3¾ in.	Open Flange, Iron Bolt, Bronze Slide Bolt,	
2½ x 3¾ in.	Solid Front, Iron Bolt, Brass Stop,	
2½ x 3¾ in.	Solid Front, Brass Bolt, Brass Stop,	
	2 ³ / ₄ x 3 ³ / ₄ in. 2 ³ / ₄ x 3 ³ / ₄ in. 2 ³ / ₄ x 3 ³ / ₄ in. 2 ¹ / ₂ x 3 ³ / ₄ in.	2¾ x 3¾ in. Solid Front, Brass Bolt, Brass Slide Bolt,




HORIZONTAL RIM KNOB LATCH WITH STOP.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
599	28 x 34 in.	Iron Bolt and Stop,	-
59912	28 x 34 in.	Brass Bolt, Iron Stop,	




HORIZONTAL RIM NIGHT LATCH.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
179	2½ x 5¼ in.	Iron Bolt, Brass Stops, and Drawback Knob, two Brass Keys,	
19	3 x 4 in.	Brass Bolt and Stop, two Brass Keys, Mineral Knob,	
19½	3 x 4 in.	Brass Bolt and Stop, two Brass Keys, Porcelain Knob, -	



Nos. 175 and 176.

HORIZONTAL RIM KNOB LATCHES.



FOR CUPBOARD OR NARROW STILE DOORS.

NO.	SIZE.	DESCRIPTION. , Per I	Dozen.
117	$3\frac{1}{2}$ x 2 in.	Two Iron Bolts, Malleable Iron KeyjTinned,	
118	3½ x 2 in.	Two Iron Bolts, Brass Key,	




Nos. 1470 to 1472, 1485 and 1486.

WITH PATENT REVERSIBLE LATCH BOLT.

NO.	SIZE.	DESCRIPTION. P	er Dozen.
1470	41 x 31 in.	Iron Bolts, Malleable Iron Key Tinned, 12 Changes,	
1471	41 x 31 in.	Iron Bolts, Brass Key, 12 Changes,	
1472	4 ¹ / ₄ x 3 ¹ / ₄ in.	Brass Bolts, Brass Key, 12 Changes,	
1485	41 x 31 in.	Iron Bolts, Malleable Iron Key Tinned, 12 Changes, -	
1486	4½ x 3½ in.	Iron Bolts, Brass Key, 12 Changes,	
1485	41 x 31 in.	Iron Bolts, Malleable Iron Key Tinned, 12 Changes, -	

Nos. 1485 and 1486 reverse by removing the Cap. The others by pulling the Latch forward and turning half round.




Nos. 1475, 1476, and 1477.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
	4½ x 3½ in.	Three Iron Bolts, Malleable Iron Key Tinned, 12 Changes,	-
	4½ x 3½ in. 4½ x 3½ in.	Three Iron Bolts, Brass Key, 12 Changes, Three Brass Bolts, Brass Key, 12 Changes,	-



Nos. 1590 to 1592.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1590	$4\frac{1}{2}$ x $3\frac{1}{2}$ in.	Two Iron Bolts, Stop on Latch, Malleable Iron Key Tinned,	
		one Tumbler,	
1591	$4^{\frac{1}{2}} \times 3^{\frac{1}{2}}$ in.	Two Iron Bolts, Stop on Latch, Brass Key, one Tumbler, -	
1592	$4\frac{1}{2} \times 3\frac{1}{2}$ in.	Two Brass Bolts, Stop on Latch, Brass Key, one Tumbler, -	



Nos. 1593 to 1595.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1593	$4\frac{1}{2} \times 3\frac{1}{2}$ in.	Two Iron Bolts, Stop on Latch, Brass Steel Bit Key, one Tumbler,	
1594	$4\frac{1}{2} \times 3\frac{1}{2}$ in.	Two Brass Bolts, Stop on Latch, Brass Steel Bit Key, one Tumbler,	
1595	$4^{\frac{1}{2}} \times 3^{\frac{1}{2}}$ in.	Two Brass Bolts, Stop on Latch, Brass Steel Bit Key, three Tumblers,	



Nos. 1600, &c.

Per Dozen.

JANUS FACE UPRIGHT RIM KNOB LOCKS.


WITH PATENT REVERSIBLE LATCH BOLT.

NO.	SIZE.	DESCRIPTION.
1600	5 x 3¾ in.	Two Iron Bolts, Stop on Latch, Malleable Iron Key Tinned, one Wrought Iron Rack Tumbler,
1625	5 x 3¾ in.	Two Iron Bolts, Stop on Latch, Brass Key, one Wrought Iron Rack Tumbler,
1630	5 x 3¾ in.	Two Brass Bolts, Stop on Latch, Brass Key, one Wrought Iron Rack Tumbler,
1632	5 x 3¾ in.	Two Iron Bolts, Stop on Latch, Brass Key, three Wrought Iron Rack Tumblers,
1633	5 x 3¾ in.	Two Brass Bolts, Stop on Latch, Brass Key, three Wrought Iron Rack Tumblers,




WITH PATENT REVERSIBLE LATCH BOLT.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1635	5 x 3 ³ / ₄ in.	Two Iron Bolts, Stop on Latch, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	
1636	5 x 3¾ in.	Two Brass Bolts, Stop on Latch, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	
1637	5 x 3¾ in.	Two Iron Bolts, Stop on Latch, Brass Steel Bit Key, three Wrought Iron Rack Tumblers,	
1638	5 x 3¾ in.	Two Brass Bolts, Stop on Latch, Brass Steel Bit Key, three Wrought Iron Rack Tumblers,	



WITH PATENT REVERSIBLE LATCH BOLT.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1680	5 x 3¾ in.	Three Iron Bolts, Malleable Iron Key Tinned, one Wrought	
		Iron Rack Tumbler,	
1681	5 x 3¾ in.	Three Iron Bolts, Brass Key, one Wrought Iron Rack	
		Tumbler,	
1682	5 x 3¾ in.	Three Brass Bolts, Brass Key, one Wrought Iron Rack	
		Tumbler,	
1683	5 x 3¾ in.	Three Iron Bolts, Brass Key, three Wrought Iron Rack	
		Tumblers,	
1684	5 x 3 ³ in.	Three Brass Bolts, Brass Key, three Wrought Iron Rack	
		Tumblers,	



Nos. 1687 to 1689.

WITH PATENT REVERSIBLE LATCH BOLT.

NO.	SIZE	DESCRIPTION.	Per Dozen.
1687	5 x 3 ³ in.	Three Iron Bolts, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	
1688	5 x 3¾ in.	Three Brass Bolts, Brass Steel Bit Key, one Wrought Iron Rack Tumbler,	
1689	5 x 3 ³ 4 in.	Three Brass Bolts, Brass Steel Bit Key, three Wrought Iron Rack Tumblers,	,

UPRIGHT RIM FRONT DOOR KNOB LOCKS.


NO.	SIZE.	DESCRIPTION. Per 1	Dozen.
1640	6 x 4 in.	Two Iron Bolts, Tinned Iron Key, one Tumbler,	
1641	6 x 4 in.	Two Iron Bolts, Brass Key, one Tumbler,	
1642	6 x 4 in.	Two Brass Bolts, Brass Key, one Tumbler,	
1643	6 x 4 in.	Two Brass Bolts, Brass Key, three Tumblers,	
		WITH SLIDE BOLT.	
1644	6 x 4 in.	Two Iron Bolts, Iron Slide Bolt, Brass Key, one Tumbler,	
1645	6 x 4 in.	Two Brass Bolts, Brass Slide Bolt and Key, one Tumbler,	
1646	6 x 4 in.	Two Brass Bolts, Brass Slide Bolt and Key, three Tumblers,	



UPRIGHT RIM FRONT DOOR KNOB LOCKS.

PATENT REVERSIBLE LATCH BOLT, WITH NIGHT WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1020	бх4 in.	Iron Bolts, Brass Turn Knob, one Brass Key, one Tumbler, two Nickeled Night Keys, one Tumbler,	
1025	6 x 4 in.	Brass Bolts, Brass Turn Knob, one Brass Key, one Tumbler, two Nickeled Night Keys, one Tumbler,	
1050	6 x 4 in.	Brass Bolts, Brass Turn Knob, one Brass Key, one Tumbler, two Nickeled Night Keys, three Tumblers,	
1051	6 x 4 in.	Brass Bolts, Brass Turn Knob, one Brass Key, three Tumblers, two Nickeled Night Keys, three Tumblers,	




Nos 1022, 1024, 1052, and 1054.

UPRIGHT RIM FRONT DOOR KNOB LOCKS.

WITH STEEL FOLDING KEYS.


PATENT REVERSIBLE LATCH BOLT, WITH NIGHT WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1022	6 x 4 in.	Iron Bolts, Brass Turn Knob, one Brass Key, one Tumbler,	
		two Steel Folding Night Keys Nickeled, one Tumbler,	
1024	6 x 4 in.	Brass Bolts, Brass Turn Knob, one Brass Key, one Tumbler,	
		two Steel Folding Night Keys Nickeled, one Tumbler, -	
1052	6 x 4 in.	Brass Bolts, Brass Turn Knob, one Brass Key, one Tumbler, -	
		two Steel Folding Night Keys Nickeled, three Tumblers,	
1054	6 x 4 in.	Brass Bolts, Brass Turn Knob, one Brass Key, three Tumblers,	
		two Steel Folding Night Keys Nickeled, three Tumblers,	



HORIZONTAL RIM KNOB LOCKS.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1300	3 k x 4 k in.	Two Iron Bolts, Stop on Latch, Malleable Iron Key Tinned, one Tumbler,	
1301	3½ x 4½ in.	Two Iron Bolts, Stop on Latch, Brass Key, one Tumbler,	
1302	3½ x 4½ in.	Two Brass Bolts, Stop on Latch, Brass Key, one Tumbler, -	




Nos. 1310, 1311, and 1312.

JANUS FACE


HORIZONTAL RIM KNOB LOCKS.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1310	3½ x 4½ in.	Three Iron Bolts, Malleable Iron Key Tinned, one Tumbler, -	
1311	3½ x 4½ in.	Three Iron Bolts, Brass Key, one Tumbler,	
1312	3½ x 4½ in.	Three Brass Bolts, Brass Key, one Tumbler,	



JANUS FACE HORIZONTAL RIM KNOB LOCKS.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
1500	3½ x 5 in.	Two Brass Bolts, Brass Key, one Tumbler,	
1525	$3\frac{1}{2} \times 5$ in.	Two Iron Bolts, Brass Key, one Tumbler,	
1530	3½ x 5 in.	Two Iron Bolts, Tinned Malleable Iron Key, one Tumbler,	
		SLIDE BOLT.	
1531	3½ x 5 in.	Three Brass Bolts, Brass Key, one Tumbler,	
1532	3½ x 5 in.	Three Iron Bolts, Brass Key, one Tumbler,	
1533	3½ x 5 in.	Three Iron Bolts, Tinned Malleable Iron Key, one Tumbler,	





Nos. 1461 to 1463.

JANUS FACE

HORIZONTAL RIM KNOB LOCKS.

NO.	SIZE.	DESCRIPTION. Per Dozen.	
1450	4 x 6	Two Brass Bolts, Brass Key, one Tumbler,	
1455	4 x 6	Two Iron Bolts, Brass Key, one Tumbler,	
1460	4 x 6	Two Iron Bolts, Tinned Iron Key, one Tumbler,	
		SLIDE BOLT.	
1461	4 x 6	Three Brass Bolts, Brass Key, one Tumbler,	
1462	4 x 6	Three Iron Bolts, Brass Key, one Tumbler,	
1463	4 x 6	Three Iron Bolts, Tinned Iron Key, one Tumbler,	
1210	$4^{\frac{1}{2}} \times 7$	Two Iron Bolts, two Brass Keys, one Tumbler,	





3. No. 112.

COTTAGE RIM KNOB LOCKS.

RURAL CASE.

NO.	SIZE.	DESCRIPTION, Per Doze	n.
112	3¾ x 5¼ in.	Three Brass Bolts, Brass Key, three Tumblers,	
11232	3¾ x 5¼ in.	Three Brass Bolts, Brass Key, one Tumbler,	
113	3% x 5% in.	Two Brass Bolts, Brass Key, three Tumblers,	
114	3¾ x 5¼ in.	Two Brass Bolts, Brass Key, one Tumbler,	
115	3 ³ / ₄ x 5 in.	Three Brass Bolts, Brass Key, one Tumbler,	
116	$3\frac{8}{4} \times 5$ in.	Two Iron Bolts, Brass Slide Bolt, Brass Key, one Tumbler,	

DOOR KNOBS.

NOTICE.

The Iron which we use in Spindling our Knobs is made expressly to our own gauge, and fitted to our Locks. Parties using our Locks will find it to their advantage to use our Knobs.

Our Knobs are Spindled to vary in length as follows:--

Whipple Patent Knobs, both Rim and Mortise, extend five-eighths of an inch—as $\frac{7}{8}$ to $1\frac{1}{2}$ inch, $1\frac{3}{8}$ to 2 inches, etc.


Common Rim Knobs, three-quarters of an inch—as 1½ to 2½ inches, etc.

Common Mortise Knobs, one inch—as 1 to 2 inches, etc.

WHIPPLE'S PATENT DOOR KNOB.

PATENTED JULY 29th, 1873.

We call the special attention of the Trade to these Knobs, with the assurance that we are offering them the only perfect and durable Door Knob. We manufacture them in all styles, Mineral, Porcelain, Real Bronze, &c., and at a trifling advance in cost over the common Knob. They are easy to put on and sure to stay. We gnarantee satisfaction, and warrant every Knob. We were



AWARDED

Α

Bronze Medal


ΑI



THE AMERICAN INSTITUTE FAIR

FOR 1874.


The Judges say: "We consider this method of fastening Door Knobs a great improvement over anything yet invented for the purpose, as it obviates the use of side screws and washers, and can be regulated to suit any thickness of Doors."



WHIPPLE'S PATENT DOOR KNOBS.

MINERAL.


NO.	DIAM, OF KNOB,	DESCRIPTION.	Per Dozen.
830	2 ¹ / ₄ in.	Mortise Mineral Knobs, Japanned Mountings,	
831	2½ in.	Rim Mineral Knobs, Japanned Mountings,	
872	2½ x 2½ in.	Mortisc Mineral Knobs, Japanned Mountings,	
873	2½ x 2½ in.	Rim Mineral Knobs, Japanned Mountings,	
		PORCELAIN.	
832	2½ in.	Mortisc Porcelain Knobs, Japanned Mountings,	
833	2½ in.	Rim Porcelain Knobs, Japanned Mountings,	
834	2½ in.	Mortise Porcelain Knobs, Silver Plated Roses and Mountings,	
835	2½ in.	Rim Porcelain Knobs, Silver Plated Rose and Mountings,	
870	2½ in.	Mortise Porcelain Knobs, Nickel Plated Roses and Mountings,	
871	2½ in.	Rim Porcelain Knobs, Nickel Plated Rose and Mountings,	
874	$2\frac{1}{4} \times 2\frac{1}{2}$ in.	Mortise Porcelain Knobs, Japanned Mountings,	
875	2½ x 2½ in.	Rim Porcelain Knobs, Japanned Mountings,	
876	$2\frac{1}{4} \times 2\frac{1}{2}$ in.	Mortise Porcelain Knobs, Silver Plated Roses and Mountings,	
877	2½ x 2½ in.	Rim Porcelain Knobs, Silver Plated Rosc and Mountings,	



WHIPPLE'S PATENT DOOR KNOBS.

In the above Cut the Knob is represented turned back to show the method of attaching.


NO.	DIAM. OF	KNOB.	DESCRIPTION.	Per Dozen.
836	21/4	in.	Mortise Porcelain Knob and Roses, Silver Plated Mountings,	
837	21/4	in.	Rim Porcelain Knob and Rose, Silver Plated Mountings,	
878	21/4	in.	Mortise Porcelain Knob and Roses, Nickel Plated Mountings,	
879	$2\frac{1}{4}$	in.	Rim Porcelain Knob and Rose, Nickel Plated Mountings,	
880	$2\frac{1}{4} \times 2\frac{1}{2}$	in.	Mortise Porcelain Knob and Roses, Silver Plated Mountings,	
881	$2\frac{1}{4} \times 2\frac{1}{2}$	in.	Rim Porcelain Knob and Rose, Silver Plated Mountings,	



Patented Jan. 18th, 1865.

This Cut shows the improved method of securing Mineral and Porcelain Knobs to their Necks used in the Whipple Knob. The Screw end is secured by the same method, rendering it absolutely impossible for the Tops to pull off.

PACKED HALF DOZEN IN A PAPER BOX, TWENTY DOZEN IN A CASE.




SILVERED GLASS DOOR KNOBS.

WHIPPLE'S PATENT.

NO.	DESCRIPTION.				Per Dozen.
840	Silvered Glass, Silver Plated Mountings Inside,	-	-	-	-
841	Silvered Glass, Silver Plated Mountings Outside,	-	-	-	-
	COMMON SPINDLE.				
850	Silvered Glass, Silver Plated Mountings Inside,	-	-	-	-
855	Silvered Glass, Silver Plated Mountings Outside,	-	-	-	-


All the above Knobs are secured to their Necks by Haines' Patent Process.



DOOR KNOBS.


MINERAL.

NO.	DIAM, OF KNOB.	DESCRIPTION.		Per Dozen.
200	24 in.	Mortise Mineral Knobs, Japanned Mountings,	-	-
201	21 in.	Rim Mineral Knobs, Japanned Mountings, -	-	-
300	2½ x 2½ in.	Mortise Mineral Knobs, Japanned Mountings,	-	-
301	21 x 21 in.	Rim Mineral Knobs, Japanned Mountings, -	-	-
		PORCELAIN.		
400	21 in.	Mortise Porcelain Knobs, Japanned Mountings,	-	-
401	2} in.	Rim Porcelain Knobs, Japanned Mountings, -	-	-
440	2½ x 2½ in.	Mortise Porcelain Knobs, Japanned Mountings,	-	-
441	$2\frac{1}{4} \times 2\frac{1}{2}$ in.	Rim Porcelain Knobs, Japanned Mountings, -	-	-
401	2½ in. 2½ x 2½ in.	Rim Porcelain Knobs, Japanned Mountings, - Mortise Porcelain Knobs, Japanned Mountings,	- - -	- - -




DOOR KNOBS.

No.	DIAM. OF KI	NOB.	DESCRIPTION.			Per Dozen.
600	2½ i	n.	Mortise Porcelain Knob, Silver Plated Mountings,	-	-	
601	2½ i	n.	Rim Porcelain Knob, Silver Plated Mountings,	-	-	
660	2½ x 2½ i	n.	Mortise Porcelain Knob, Silver Plated Mountings,	-	-	
661	2½ x 2½ i	n.	Rim Porcelain Knob, Silver Plated Mountings,	_	-	




NO.	DIAM. OF KNOB.	DESCRIPTION.	Per Dozen.
700	2½ in.	Mortise Porcelain Knob and Roses, Silver Plated Mountings,	
701	24 in.	Rim Porcelain Knob and Rose, Silver Plated Mountings,	
770	2½ x 2½ in.	Mortise Porcelain Knob and Roses, Silver Plated Mountings,	
771	2½ x 2½ in.	Rim Porcelain Knob and Rose, Silver Plated Mountings,	




CLOSET KNOBS.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
110	21 in.	Mineral Knob, Japanned Mountings,	
120	2} in.	Porcelain Knob, Japanned Mountings,	
160	21 in.	Porcelain Knob, Silver Plated Mountings,	
170	2‡ in.	Porcelain Knob and Rose, Silver Plated Mountings,	




TURNBUCKLE KNOBS.

NO.	SIZE.	DESCRIPTION.				Per Dozen.
60	13 in.	Porcelain Knob, Silver Plated Mountings,	-	-	-	-
65	1¾ in.	Porcelain Knob, Japanned Mountings,	-	-	-	-
70	13 in.	Mineral Knob, Japanned Mountings, -	-	-	-	-



CRANK KNOBS.


NO.	SIZE.	DESCRIPTION.	Per Dozen.
50	13 in.	Porcelain Knob, Silver Plated Crank and Trimmings, Porcelain	
		Knob on Crank,	
51	13 in.	Porcelain Knob, Silver Plated Crank and Trimmings, Silver-	
		plated Knob on Crank	



CRANK T HANDLES.

FOR FRENCH WINDOWS.


NO.	SIZE.	DESCRIPTION.				Per Dozen.
54	ı¾ in.	mineral Ithob, Japanned I Trandic,	-	-	-	-
55	1¾ in.	Torcciain 11100, Japannea 1 Handre,	-	-	-	-
56	ι¾ in.	Porcelain Knob, Silver Plated T Handle,	-	-	-	-



CRANK KINOBS.

FOR STORE DOORS.

NO. 10	SIZE. 2 x 2½ in.	DESCRIPTION. Mineral Knobs, Japanned Mountings,	Per Dozen.
20	2 x 2} in.	Porcelain Knobs, Japanned Mountings	
30	2 x 2} in.	Porcelain Knobs, Silver Plated Mountings,	
40	21 in.	Porcelain and Plated Knob, Silver Plated Mountings, -	



HALF SIZE

MORTISE BOLT KNOBS.

NO.	SIZE.	DESCRIPTION.				Per D	ozen.
5	2 in.	Mineral Knob, Japanned Mountings, -	-	-	-	-	
6	2 in.	Porcelain Knob, Japanned Mountings, -	-	-	-	-	
7	2 in.	Porcelain Knob, Silver-plated Mountings,	-	-	-	-	
S	2 in.	Porcelain Knob, Porcelain Mountings, -	-	-	~	-	




HALF SIZE.

CANADA BOLT KNOBS.


NO.	SIZE.	DESCRIPTION.					Per Dozen.
15	2 in.	Mineral Knob, Japanned Mountings, -	-		-	-	
16	2 in.	Porcelain Knob, Japanned Mountings, -	-		-	-	
17	2 in.	Porcelain Knob, Nickel-plated Mountings,	-		-	-	
18	2 in.	Porcelain Knob, Silver-plated Mountings,	~	-	-	-	

116


THE PARKER & WHIPPLE CO.



No. 1



No. 2.



No. 350


BELL PULLS.

MINERAL AND PORCELAIN

BELL PULLS.

Į	NO.	DIAM. OF KNOB.	DESCRIPTION.					Per Dozen.	۱
	1	1 ¾ in.	Porcelain Knob, Silver Plated Mountings,	-	-	-	-		
	2	1¾ in.	Porcelain Knob and Rose, Silver Plated M	ounti	ngs,	-	-		
	3	1 4 in.	Porcelain Knob, Japanned Mountings,	-	-	-	-		
	4	1 ⁸ / ₄ in.	Mineral Knob, Japanned Mountings, -	-	-	-			
		SIZE OF BASE.	SHIELD BELL PULLS.						
	392	$4\frac{1}{4} \times 4\frac{1}{2}$ in.	Silver Plated Shield Porcelain Knob,	-	-	-	-		
1	394	4½ x 4½ in.	Silver Plated Shield and Knob, -	-	-	-	-		
	396	4½ x 4½ in.	Hand Plated Shield and Knob, -	-	**	-	-		
Ì									
									-
		DIAM, OF KNOB.	SILVERED GLASS BELL PULLS.						
	350	1 ½ in.	Silvered Glass, Silver Plated Mountings,	-	-	-	•		
Ì									-








No. 355.

BELL PULLS.

NO.	DESCRIPTION.	Per Dozen,
355	Silver Plated Ornamental Base and Lever, Porcelain Knob,	
358	Oriental Bronze Ornamental Base and Lever, Bar Handle,	
359	Nickel Plated on Brass, Ornamental Base and Lever, with Bar Handle,	


METAL PLATE ESCUTCHEONS.







No. 179.



No 8




No. 7.


NO.	SIZE OF KEY HOLE.	DESCRIPTION.				Per Dozer
2	1½ in.	Silver Plated for thick Bit Keys, -	-			
3	ι‡ in.	Silver Plated for thin Bit Keys, -	-	-		
4	I 1/8 in.	Silver Plated for thick Bit Keys, -	-	-	-	-
5	₹ in.	Silver Plated for thick Bit Keys, -	-	-	-	-
6	3 in.	Silver Plated for thick Bit Keys, -	-	-	-	-
7	3 in.	Silver Plated for thin Bit Keys, -	-	-	-	-
105	3 in.	Silver Plated for Night Latch Keys,	-	-	-	- 1
179	§ in.	Silver Plated for Night Latch Keys,	-	-	-	**




No. 4.





No. 3.



No. 2.







No. 185.

KEY ESCUTCHEONS.

NO.	SIZE OF KEY HOLE	DESCRIPTION.					Per Dozen	
10	I la in.	Heavy Silver Plated,	-	-	-	-	-	1
11	1½ in	Heavy Silver Plated,	-	-	-	-	-	1
185	3 in.	Silver Plated for thin Bit Keys,	-	-	-	-	-	








No. 1791-2.




No. 28.



No. 30.



No. 25.



No. 31.




No. 32.




PORCELAIN KEY ESCUTCHEONS.

NO.	SIZE OF KEY HOLE.	DESCRIPTION.	Per Dozen.
10512		Porcelain Key Plate, for Night Latch Keys, -	-
1791/2	₃ inch.	Porcelain Key Plate, for Night Keys,	-
25	⁵ inch.	Porcelain Key Plate, for Thin Bit Keys,	
28	§ inch.	Porcelain Key Plate, for Thick Bit Keys, -	
30	₹ inch.	Porcelain Key Plate, for Thick Bit Keys, -	
31	$\frac{7}{8}$ inch.	Porcelain Key Plate, for Thick Bit Keys, -	
32	ı inch.	Porcelain Key Plate, for Thick Bit Keys, -	
33	1 % inch.	Porcelain Key Plate, for Thick Bit Keys, -	



No. 110





PORCELAIN DROP ESCUTCHEONS.

	1 01102		
NO.	SIZE OF KEY HOLE.	DESCRIPTION.	Per Dozen.
16	ı inch.	Silver Plated Base, Poppy Drop, Thick Bit Key, -	-
1612	ı inch.	Silver Plated Base, Poppy Drop, Thin Bit Key,	
17	ı inch.	Silver Plated Base, Burnished Poppy Drop, Thick Bit Key,	-
1712	r inch.	Silver Plated Base, Burnished Poppy Drop, Thin Bit Key,	
18	ı inch.	Porcelain Base, Poppy Drop, Thick Bit Key,	-
1812	ı inch.	Porcelain Base, Poppy Drop, Thin Bit Key,	
19	$\frac{3}{4}$ inch.	Silver Plated Base, Poppy Drop, Thick Bit Key,	-
1912	🖞 inch.	Silver Plated Base, Poppy Drop, Thin Bit Key,	
20	$\frac{3}{4}$ inch.	Porcelain Base, Burnished Poppy Drop, Thick Bit Key,	-
2012	$\frac{3}{4}$ inch.	Porcelain Base, Burnished Poppy Drop, Thin Bit Key, -	
21	$\frac{3}{4}$ inch.	Porcelain Base, Poppy Drop, Thin Bit Key,	
2112	$\frac{3}{4}$ inch.	Porcelain Base, Poppy Drop, Thin Bit Key,	
110	i inch.	Porcelain Base and Drop,	-

CLASS

DOOR KEYS.

MORTISE BRASS DOOR KEYS.

CUT OR BLANK.

CLASS.					COL	OK DIL	F 14 TF *					Per Dozen,
1	For Locks	39½,	361,	362.								
2	For Locks	65,	66.									
3	For Locks	35,	36,	3 7 ,	525.							
4	For Locks	57,	58,	515,	516,	517,	5 18.					
5	For Locks	51,	511.									
6	For Locks	48,	50.									
7	For Locks	53,	520,	521.								
8	For Locks	610,	611.	612.								
9	For Locks	450,	45 I,	452,	453,	454,	455,	457.				
10	For Locks	550,	551,	570,	571,	572,	573,	575,	576,	577,	578.	
15	For Locks	473.	474,	475,	476,	477,	478,	606,	607,	608,	609.	
16	For Locks	431,	432,	433,	434.							
17	For Locks	411,	412,	413,	414,	501,	502,	503,	504.			
18	For Locks	330,	334									
19	For Locks	26,	27,	28,	60,	61,	62,	625,	626,	627,	628.	
75	For Locks											
76	For Locks				408.							
		T-3,	T7	7-7'	7							

MORTISE NIGHT KEYS.

CLASS.					CUT 6	R BLA	NK.					Per Dozen.
-11	For Locks	550,	551,	570,	571,	572,	573,	575,	576,	577,	578.	
12	For Locks	85½,	$87\frac{1}{2}$,	85,	86,	87,	88,	560,	561,	565,	566.	
13	For Locks	95,	96.									
14	For Locks	450,	45 I,	452,	453,	454,	455,	456,	457.			

PACKED TWO DOZEN IN PAPER BOXES.

When ordering cut Keys please state the number of the Lock for which they are wanted. In ordering blanks, the class only.

DOOR KEYS.

RIM BRASS DOOR KEYS.

CLASS.				CU	T OR B	LANK.				Per	r Dozen.
20	For Lock	212.									
23	For Locks	115,	116.						4		1
24	For Locks	1625,	1630,	1632,	1633,	1681,	1682,	1683,	1684.		
25	For Locks	271,	272.								
26	For Locks	1450,	1455,	1461,	1462,	I 500,	I 525,	1531,	1532.		
28	For Locks	29,	$29\frac{1}{2}$.								
29	For Locks	I I2,	II $2\frac{1}{2}$,	113,	I I 4.						
34	For Locks	221,	222,	1301,	1302,	1311,	1312,	1471,	1472,	1476,	1477,
		1486.									
35	For Locks	225,	226,	227,	228,	229,	230.				
36	For Locks	1635,	1636,	1637,	1638,	1687,	1688,	1689.			
38	For Locks	261,	262,	1591,	1592.						
39	For Locks	2 63,	2 64,	265,	2 66,	267,	1593,	I 594,	1595.		
40	For Locks	1640,	1641,	1642,	1643,	1644,	1645,	1646.			1
41	For Locks	244,	245,	246,	247.						
42	For Locks	24,	239,	240.							
43	For Locks	0241,	0243,	0244,	0245,	0246,	0247,	0248.			
44	For Locks	1020,	1022,	1024,	1025,	1050,	1051,	1052,	1054.		

RIM NIGHT KEYS.

CLASS.				CU	T OR BLANK.	Per Dozen.
45	For Locks	19,	19½.			
46	For Locks	1020,	1025,	1050,	1051.	
47	For Locks	1022,	1024,	1052,	1054.	
48	For Locks	1 <i>7</i> 9.				


PACKED TWO DOZEN IN PAPER BOXES.


When ordering cut Keys please state the number of the Lock for which they are wanted. In ordering blanks, the class only.

DOOR KEYS.

RIM AND MORTISE TINNED MALLEABLE IRON KEYS.

CLASS.											Per Dozen.
100	For Locks	39,	360.								
101	For Lock	38.									
102	For Locks	56,	514.								
103	For Lock	430.									
104	For Locks	410,	500								
105	For Lock	479									
106	For Lock	21.									
107	For Lock	211									
108	For Locks	220,	1300,	1310,	1470	, 1475	, 148	35.			
109	For Locks	260,	1590.								
110	For Lock	270.									
111	For Locks	1600,	1680								
112	For Locks	1640,	1644.								
113	For Locks	1460,	1463,	1530,	1533						
			D 1 0 11 D	mirro	D DOG	237 137	nor:				
			PACKED	THRE.	E DOZI	in in a	A BOX.				
		C	IDE	LZ M	ΩD	C C D	EW	C			
		5.	IDE	IV IV	UB	SUK	E W	5.			
C' 1 72	1.0	. 101	. 1								Per Gross,
	nob Screws, I				•		-	-	-	-	-
Side K	nob Screws, S	onver ri	atea,	•	-		_	-	•	_	-
	RIM	L00	K A	ND	LA	TCH	SI	$\Gamma R T$	KE.	RS.	
											Per Dozen.
Iron Ja	panned, Smal	1, -	~	-	-		_	-	-	-	-
Iron Ja	panned, Medi	um, -	-	-	_		-	-	-		_
Iron Ja	panned, Larg	e, -	-	-	-		-	-	-	-	_
	MORTIS	SE L	. O C K	A N	1D	LAT	CH	ST	RL	KEF	RS.
											Per Dozen.
Iron, P	olished and L	acquere	d, Smal	I,	-			-	-	-	-
Iron, P	olished and L	acquere	d, Medi	um,	-			-	-	-	-
Iron, P	olished and L	acquere	d, Large	e,			-	-	-	-	-
	rass, Polished						-	-	-	-	-
	rass, Polished		-				-	-	-	-	-
Cast B	rass, Polished	and La	cquered	, Large	e,		-	-	-	-	-





ORNAMENTAL

REAL BRONZE SLIDING DOOR PULLS.

Packed with Screws.

NO.

DESCRIPTION.

Per Pair.

1900 Solid Bronze Metal, Astragal Front, -




MORTISE KNOB LATCH.

ASTRAGAL FRONT, FOR SLIDING DOORS.

NO. SIZE. DESCRIPTION.

Per Dozen.

2071 34 x 24 in. Ornamental Real Bronze Front and Strike, Brass
Bolt and Hub, - - - - -




ORNAMENTAL

REAL BRONZE FLUSH PULL ESCUTCHEONS.

NO. DESCRIPTION. Per Set of Four.

1910 Solid Bronze Metal, Packed with Screws, - - - - -



Nos. 2500, 2502, 3500

EXTRA FINE

MORTISE KNOB LOCKS.

WITH PATENT REVERSIBLE LATCH BOLT.

REAL BRONZE ORNAMENTAL FRONTS.

WROUGHT IRON INSIDE WORK.

NICKELED KEYS.

EASY SPRING.

NO. 2500	SIZE. 3½ x 3½ in.	DESCRIPTION. Ornamental Real Bronze Front and Strike, two Bronze Bolts, Nickeled Key,	Per Dozen.
2502	3½ x 3¼ in.	Ornamental Real Bronze Front and Strike, two Bronze Bolts, three Wrought Iron Rack Tumblers, Nickeled Key,	
3500	3½ x 3½ in.	Ornamental Oriental Bronze Front and Strike, two Brass Bolts, Nickeled Key,	





No. 606.

EXTRA FINE

MORTISE KNOB LOCKS.

PATENT REVERSIBLE LATCH BOLT.

ORNAMENTAL REAL BRONZE FRONTS.

WROUGHT IRON INSIDE WORK.

NO. 2607	SIZE. 4 ³ / ₄ x 3 ¹ / ₂	DESCRIPTION Ornamental Real Bronze Front and Strike, Bronze Bolts, Nickeled Key, one Rack Tumbler, 24 changes,	Per Dozei
2608	4¾ x 3½	Ornamental Real Bronze Front and Strike, Bronze Bolts, Nickeled Key, two Rack Tumblers, 48 changes,	
2609	4 ³ / ₄ x 3 ¹ / ₂	Ornamental Real Bronze Front and Strike, Bronze Bolts, Nickeled Key, three Rack Tumblers, 100 changes, -	



No. 625.

EXTRA FINE

THREE-BOLT MORTISE KNOB LOCKS.


PATENT REVERSIBLE LATCH BOLT.

ORNAMENTAL REAL BRONZE FRONTS.

WROUGHT IRON INSIDE WORK.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
2626	4 ³ / ₄ x 3 ¹ / ₂ in.	Ornamental Oriental Bronzed Front and Strike, three Bronze Bolts, Oriental Bronzed Turn Knob and Plate, Nickeled Keys, one Tumbler, 24 changes,	
2627	4 ³ / ₄ x 3 ¹ / ₂ in.	Ornamental Real Bronze Front and Strike, three Bronze Bolts, Real Bronze Turn Knob and Plate, Nickeled Keys, one Tumbler, 24 changes,	
2628	4¾ x 3½ in.	Ornamental Real Bronze Front and Strike, three Bronze Bolts, Real Bronze Turn Knob and Plate, Nickeled Key, three Tumblers, 100 changes,	

THE PARKER & WHIPPLE CO.



EXTRA FINE

MORTISE FRONT DOOR LOCKS.


PATENT REVERSIBLE LATCH BOLT.

ORNAMENTAL FRONTS.

BRASS AND WROUGHT IRON INSIDE WORK.

NICKEL PLATED KEYS.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
570	5½ x 4½ in.	Ornamental Real Bronze Front, Bronze Bolts, two Nickeled Night Keys, one Tumbler, one Nickeled Locking Key, one Tumbler,	
571	5½ x 4½ in.	Ornamental Real Bronze Front, Bronze Bolts, two Nickeled Night Keys, one Tumbler, one Nickeled Locking Key, three Tumblers,	•
572	5½ x 4½ in.	Ornamental Real Bronze Front, Bronze Bolts, two Nickeled Night Keys, three Tumblers, one Nickeled Locking Key, one Tumbler,	
573	5½ x 4½ in.	Ornamental Real Bronze Front, Bronze Bolts, two Nickeled Night Keys, three Tumblers, one Nickeled Locking Key, three Tumblers,	
		ORIENTAL BRONZE.	
575	5½ x 4½ in.	Fancy Oriental Bronze Front, Brass Bolts, two Nickeled Night Keys, one Tumbler, one Nickeled Locking Key, one Tumbler,	
576	5½ x 4½ in.	Fancy Oriental Bronze Front, Brass Bolts, two Nickeled Night Keys, one Tumbler, one Nickeled Locking Key, three Tumblers,	
577	5½ x 4½ in.	Fancy Oriental Bronze Front, Brass Bolts, two Nickeled Night Keys, three Tumblers, one Nickeled Locking Key, one Tumbler,	
578	5½ x 4½ in.	Fancy Oriental Bronze Front, Brass Bolts, two Nickeled Night Keys, three Tumblers, one Nickeled Locking Key, three Tumblers,	



EXTRA FINE

MORTISE VESTIBULE LATCHES.

WITH PATENT REVERSIBLE LATCH BOLT.

ORNAMENTAL FRONTS.

BRASS AND WROUGHT IRON INSIDE WORK.

NICKEL PLATED KEYS.

NO.	SIZE.	DESCRIPTION.	Per Dozen,
560	4 x 3½ in.	Ornamental Real Bronze Front, Brass Bolt, two Nickeled Keys, one Tumbler,	
561	4 x 3½ in.	Ornamental Real Bronze Front, Brass Bolt, two Nickeled Keys, three Tumblers,	
565	4 x 3½ in.	Fancy Oriental Bronze Front, Brass Bolt, two Nickeled Keys, one Tumbler,	
566	4 x 3½ in.	Fancy Oriental Bronze Front, Brass Bolt, two Nickeled Keys, three Tumblers,	ş



Bronze Knob and No. 40 Escutcheon.



Bronze Knob and No. 41 Elongated Rose.


REAL BRONZE DOOR KNOBS.

WHIPPLE'S PATENT.


NO.	SIZE.	DESCRIPTION.	Per Dozen.
844	$2\frac{1}{2} \times 2\frac{1}{4}$ in	Solid Bronze Knobs, with Nos. 40, 41, and 153 Bronze	
		Escutcheons, to match Front Door Locks 550, 450, etc.,	
845	$2\frac{1}{2}$ x $2\frac{1}{4}$ in.	Solid Bronze Knobs, with No. 41 Elongated Roses, -	
846	2‡ x 2‡ in.	Solid Bronze Knobs, with No. 41 Elongated Roses, -	-
		COMMON SPINDLE.	
510	2½ x 2¼ in.	Solid Bronze Knobs, with Nos. 40, 41, and 153 Bronze	
		Escutcheons, to match Front Door Locks 550, 450, etc.,	
511	2½ x 2¼ in.	Solid Bronze Knobs, with No. 41 Elongated Rose,	
512	2½ x 2½ in.	Solid Bronze Knobs, with No. 41 Elongated Rose,	



No. 520 Knob and No. 30 Escutcheon.



No. 520 Knob and No. 31 Elongated Rose.



No. 520 Knob and No. 32 Rose.

REAL BRONZE DOOR KNOBS.

NO.	SIZE.	DESCRIPTION.	Per Dozen.
520	2½ x 2¼ in.	Real Bronze Knobs, with Nos. 30 and 151 Escutcheons,	
		and No. 31 Elongated Rose,	
521	2½ x 2¼ in.	Real Bronze Knobs, with No. 31 Elongated Roses, -	
522	21 x 21 in.	Real Bronze Knobs, with No. 31 Elongated Roses, -	
523	2½ x 2½ in.	Real Bronze Knobs, with No. 32 Round Roses,	
929	24 X 24 III.	Real Diolize Knobs, with No. 32 Round Roses, -	




Nos. 860 and 861.

BELL PULLS.

NO.	O. DESCRIPTION.								
860	Nickel Plated on Brass,			-					
865	Genuine Bronze Metal, to match Knobs 844, 510, &c.,		-						



Nos. 26, 27, 153.



No. 154.

ORNAMENTAL DROP ESCUTCHEONS.

NO.	DESCRIPTION,	Per Dozen.
26	Oriental Bronzed, for Folding Store Door Keys,	
27	Oriental Bronzed, for Outside Door Keys,	
153	Genuine Bronze Metal, for Outside Door Keys,	
154	Genuine Bronze Metal, Double Key-hole, for Front Door Mortise Locks, with Night Works,	


No. 101.—REAL BRONZE METAL CAP BUTTS.

PATENTED

LOOSE JOINT

Ост. 6, 1874.

STEEL WASHER.



Full Size Cut of 4×4 inch.

Inch, - - 4×4 $4^{\frac{1}{2}} \times 4^{\frac{1}{2}}$ 5×5 $5^{\frac{1}{2}} \times 5^{\frac{1}{2}}$ 6×6

Per pair, - - \$

No. 102.—ORIENTAL BRONZE CAP BUTTS.

PATENTED

LOOSE JOINT,



Ост. 6, 1874.

STEEL WASHER.



Full Size Cut

of 4×4 inch.

BACK.—SEE CUT OF FRONT

ON OPPOSITE PAGE.


Inch, - - 4×4 $4^{\frac{1}{2}} \times 4^{\frac{1}{2}}$ 5×5 $5^{\frac{1}{2}} \times 5^{\frac{1}{2}}$ 6×6

Per pair, - - \$

Inch,

Per pair, - - \$

No. 3.—NICKEL PLATED CAP BUTTS.




No. 201.—REAL BRONZE METAL CAP BUTTS.

Patented,

LOOSE JOINT.

Oct. 6, 1874.

STEEL WASHER.




FULL SIZE CUT 4 X 4 INCH

Inch, 4×4 $4^{\frac{1}{2}} \times 4^{\frac{1}{2}}$ 5×5 $5^{\frac{1}{2}} \times 5^{\frac{1}{2}}$ 6×6

Per pair, \$



No. 104.—REAL BRONZE LOOSE JOINT BUTTS.



Full size cut of 4×4 inch.

Packed with

Patented.

Screws to match.

4 x 4 inch,	-	-	per pair, \$
4 x 4½ "	-	-	"
41 v 41 "			"


5 x 5 inch, - - per pair, \$

6 x 6

No. 4.—ORIENTAL BRONZE.

 $4 \times 4^{\frac{1}{2}}$ $4^{\frac{1}{2}} \times 4^{\frac{1}{2}}$ 5×5 $5^{\frac{1}{2}} \times 5^{\frac{1}{2}}$ 6×6 inch. Size, Per pair,

No. 204.—JAPANNED. $4 \times 4^{\frac{1}{2}}$ $4^{\frac{1}{2}} \times 4^{\frac{1}{2}}$ 5×5 $5^{\frac{1}{2}} \times 5^{\frac{1}{2}}$ 6×6 inch. Size, Per pair, \$




No. 5.-LOOSE PIN ACORN BUTTS.

DRILLED AND WIRED.

	SIZE.								PLAIN.	JAPANNED.	PLATED ACORNS.
2	x 2	inch,	-	-	-	-	-	-	\$	\$.	\$
2	$x^{-2\frac{1}{2}}$	**		-	-	-	-	-			
$2\frac{1}{2}$	x 2	"	-		-	-	-	-			
$2\frac{1}{2}$	$x^{2\frac{1}{2}}$	"	-	-		-	-	-			
$2\frac{1}{2}$	x 3	44	-	-	-	-	-	-			
3	$X 2^{\frac{1}{2}}$	66	-	-	-	-	-	-			
3	x 3	44	-	-	-	-	-	-			
	$x \ 3\frac{1}{2}$	"	-	-	-	-	-	-			
	x 3	66	-	-	-	-	-	-			
	$x \ 3^{\frac{1}{2}}$	"	-	-	-	-	-	-			
	x 4	66	-	-	-	-	-	-			
	$x 3\frac{1}{2}$	44	-	-	-	-	-	-			
	x 4	"	-	-	-	-	-	-			
	$X 4\frac{1}{2}$	"	-	-	-	-	-	-			
	x 4	"	-	-	-	-	-	-			
	$x \ 4\frac{1}{2}$	"	-	-	-	-	-	-			
	x 5		-	-	-	-	-	-			
	$x \ 4\frac{1}{2}$	44	-	-	-	-	-	-			
	x 5	"	-	-	-	-	-	-			
	x 5½	"	-	-	-	-	-	-			
	хб	46	-	-	-	-	-	-			
	x 5		-	-	-	-	-	-			
	$X 5\frac{1}{2}$	"	-	-	-	-	-	-			
6	хб	"	-	-	-	-	-	-			

No. 6.—NARROW FAST BUTTS.

DRILLED.




Full Size Cut of 23 inch.

SIZE.													PER D	OZEN	PAIRS.
14 inch		-	-	-	-	-	-	-	-	-	-	-	- \$		
1½ inch		-	-	-	-	-	-	-	-	-	-	-	-		
1¾ inch		-	-	-	-	-	-	-	-	-	-	-	-		
2 inch		-	-	-	-	-	-	-	-	-	-	-	-		
24 inch	١.	-	-	-	-	-	-	-	-	-	-	-	-		
2½ inch		-	-	-	-	-	-	-	-	-	-	-	-		
2¾ inch	:•	-	-	-	-	-	-	-	-	-	-	-	-		
3 inch		-	-	-	-	-	-	-	-	-	-	-	-		
3½ inch		-	-	-	-	-	-	-	-	-	-	-	-		
$3\frac{1}{2}$ inch		-	-	-	-	-	-	-	-	-	-	-	-		
3¾ inch		-	-	-	-	-	-	-	-	-	-	-	-		
4 inch		-	-	-	-	-	-	-	-	-		-	-		
$4\frac{1}{2}$ inch		-	-	-	-	-	-	-	-	-	-	-	-		
5 inch		-	-	~	-	-	-	-	-	-	-	-	-		
б inch		-	-	-	-	-	-	-	-	-	-	-	-		

For Narrow Fast Butts, Japanned, add 80 cts. to List.

No. 10.—BROAD FAST BUTTS.



Full Size Cut of $3\frac{1}{2} \times 3\frac{1}{2}$ inch.

SIZE.	PLAIN.	JAPANNED.	SIZE.	PLAIN.	JAPANNED.
1 1 x 2 1	\$	\$	$4 \times 3^{\frac{1}{2}}$	\$	\$
2 X 2			4 × 4		
2 $\times 2\frac{1}{2}$			$4 \times 4^{\frac{1}{2}}$		
2 t x 2		1	4 x 5		
21 x 21			4 x 6		
$2\frac{1}{2} \times 2$			$4^{\frac{1}{2}} \times 4$		
$2\frac{1}{2} \times 2\frac{1}{2}$		1	$4^{\frac{1}{2}} \times 4^{\frac{1}{2}}$		
2½ x 3			4½ x 5		
3 x 2½			$4^{\frac{1}{2}} \times 5^{\frac{1}{2}}$		
3 x 3			5 x 5		
$3 \times 3^{\frac{1}{2}}$			5 x 5½		
3 × 4			5 x 6		
$3\frac{1}{2} \times 3$			5 × 7		
$3\frac{1}{2} \times 3\frac{1}{2}$			$5\frac{1}{2} \times 5\frac{1}{2}$		
$3\frac{1}{2} \times 4$			6 x 6		
$3\frac{1}{2} \times 5$			6 x 7		
4 × 3					

No. 11.—BROAD FAST ACORN BUTTS. JAPANNED.



Full Size Cut of 4 × 4	incl	า

JAPANNED ACORN.

			Full Size Cut of	4×4 inc
SI	ZE.	JAPANNED ACORN.	PLATED ACORN.	SIZE.
2	x 2	\$	\$	4 $\times 3^{\frac{1}{2}}$
2	X^{2}			4 × 4
21	x 2			$4 \times 4^{\frac{1}{2}}$
21	x 21			4 x 5
21	x 2			4 x 6
	$x^{2\frac{1}{2}}$			4½ X 4
21				$4^{\frac{7}{2}} \times 4^{\frac{1}{2}}$
3	x 21/2			4½ x 5
3	x 3			$4\frac{1}{2} \times 5\frac{1}{2}$
3	$x 3\frac{1}{2}$			5 x 5
3	x 4			$5 \times 5^{\frac{1}{2}}$
31/2	x 3			5 x 6
$\frac{32}{32}$	_			5 x 7
$\frac{32}{32}$				5½ x 5½
$\frac{32}{32}$	x 5			6 x 6
	x 3			6 x 7
4	^ 3	20		0 R /

No. 12.-LOOSE JOINT BUTTS.




Full Size Cut of $3\frac{1}{2} \times 3\frac{1}{2}$ inch.


SIZE.	PLAIN.	JAPANNED.	SIZE.	PLAIN.	JAPANNED.
2 X 2	\$	\$	4 х б	\$	\$
$2 \times 2^{\frac{1}{2}}$			$4^{\frac{1}{2}} \times 4$		
21 x 21			$4^{\frac{1}{2}} \times 4^{\frac{1}{2}}$		
$2\frac{1}{2} \times 2$			$4\frac{1}{2} \times 5$		
$2\frac{1}{2} \times 2\frac{1}{2}$			$4^{\frac{1}{2}} \times 5^{\frac{1}{2}}$		
$2\frac{1}{2} \times 3$			$4^{\frac{1}{2}} \times 6$		
3 x 2½			$4^{\frac{1}{2}} \times 6^{\frac{1}{2}}$		
3 x 3			5 x 5		
$3 \times 3^{\frac{1}{2}}$			5 x 5½		
3 x 6			5 х б		
$3\frac{1}{2} \times 3$			5 x 7		
$3^{\frac{1}{2}} \times 3^{\frac{1}{2}}$			5½ x 5		
3½ x 4			$5\frac{1}{2} \times 5\frac{1}{2}$		
4 x 3			$5\frac{1}{2} \times 6\frac{1}{2}$		
$4 \times 3^{\frac{1}{2}}$			6 x 6		
4 × 4			6 x 7		
$4 \times 4^{\frac{1}{2}}$				order only.	
4 x 5					

No. 13.—LOOSE JOINT ACORN BUTTS.

JAPANNED.



Full Size Cut of $3\frac{1}{2} \times 3\frac{1}{2}$ inch.



PATENT DOOR BELLS.

CAN BE PUT ON EITHER DOOR OR CASING.

For Description, see opposite page.





Nos. 353 and 354.

No. 360.

BELL PULLS.


NO.	DESCRIPTION.			Per Dozen.
353	Genuine Bronze, Ornamental Lever and Base, Bronze Knob,	-	-	\$
354	Nickel Plated, Ornamental Lever and Base, Nickeled Knob,	-	-	
360	Genuine Bronze, Ornamental Lever and Base, Bar Handle,	-	-	

PATENT DOOR BELLS.

			Without Pull. Per dozen.	With 354 or 355 Pull. Per dozen.	With 353 Pull. Per dozen.	With 358 Pull. Per dozen.	With 359 or 360 Pull. Per dozen.
NO.	SIZE.	DESCRIPTION.					
2	4 in.,	Bronzed Steel,	\$	\$	\$	\$	\$
5	4 "	Bell Metal,					
7	4 "	Silver Plated,					
8	4 "	Nickel Plated,					
10	5 "	Bronzed Steel,					
12	5 "	Bell Metal,					
15	5 "	Silver Plated,					
16	5 "	Nickel Plated,					

For Cuts and Description of Bell Pulls Nos. 335, 358, and 359, see page 118.

If other Pulls are desired, add the price of the Pull to the price of Bell in above table. For Cuts of the Pulls, see pages 116 and 118.




LYON'S PATENT CRANK DOOR BELL.

NO.	SIZE.	DESCRIPTION.			Per Dozen.
20	4 in.,	Cast Steel, Bronzed, with Fancy Bronze Crank,	-	-	\$
25	4 ''	Cast Steel, Bronzed, with Silver-plated Crank,	-	-	
30	4 "	Bell Metal, Polished, with Fancy Bronze Crank,	-	-	
35	4 "	Bell Metal, Polished, with Silver-plated Crank,	-	-	
40	4 "	Silver-plated, with Silver-plated Crank,	-	-	
41	4 "	Nickel-plated, with Silver-plated Crank, -	-	-	
45	5 "	Cast Steel, Bronzed, with Fancy Bronze Crank,	-	-	
50	5 "	Cast Steel, Bronzed, with Silver-plated Crank,	-	-	
55	5 ''	Bell Metal, Polished, with Fancy Bronze Crank,	-	-	
60	5 "	Bell Metal, Polished, with Silver-plated Crank,	-	-	
65	5 "	Silver-plated, with Silver-plated Crank,	-	-	
66	5 "	Nickel-plated, with Silver-plated Crank, -	-	-	

Star Handle furnished to order at the price of Cranks.

The Hammers of this Bell operate by their own gravity, and cannot get out of order.

BELL CRANKS AND TRIMMINGS.



NO.	DESCRIPTION.						Per Dozen.
0	Mortise Crank, all Iron, Japanned, -	-	-	-	-	-	-
2	Mortise Crank, Lacquered, Brass Finish,	-	-	-	-	-	-






NO.	DESCRIPTION.							Per Dozen.
1	Brass Side Crank, Malleable Iron Spike,	-	-		-	-	-	
2	Brass End Crank,	-	-	-	-	-	-	
3	End Crank, on Plate, all Iron, Japanned,	-	-	-	-	-	-	
4	Side Crank, on Plate, all Iron, Japanned,	-	-	-	-	-	-	


PATENT SASH FASTENERS.

Patented Oct. 31, 1871.



No. 201.

NO.	DESCRIPTION.							Per Gross.
201	Iron, Brown Japanned, Fancy Sweep,	-	-	-	-	-	-	
202	Brass, Frosted Finish, Fancy Sweep,	-	-	-	-	-	-	
203	Brass, Silver Plated throughout, -	-	-	-	-	-	-	



No. 205.

NO.	DESCRIPTION.				Per Gross.
205	Iron, Brown Japanned, Porcelain Knob,	-	-	-	-
206	Brass, Frosted Finish, Porcelain Knob,	-	-	-	-
213	Brass, Silver Plated throughout, Porcelain Knob,	-	-	-	-

BRECKENRIDGE'S PATENT SASH FASTENERS.


SECURE AND BURGLAR PROOF.

Patented Nov. 30, 1869, and Jan. 3, 1871.




No. 103.

NO.			DESCRIP	TION.							Per Gross,
103	Iron, Acorn Kno	o, Bronzed	Rivets,	-	-	-	-	-	-	-	



No. 104.

NO.	DESCRIPTION.			Per Gross.
104	Iron, Brown Japanned, Porcelain Knob, Bronzed Rivets,	-	-	-
108	Brass, Polished Sweep, Porcelain Knob, Brass Rivets, -	-	-	-
113	Brass, Silver Plated, Porcelain Knob, Plated Rivets, -	-	-	-




No. 124.

NO.	DESCRIPTION.			Per Gross.
124	Iron, Brown Japanned, Porcelain Knob, Plated Mountings,	-	-	-
132	Brass, Burnished, Porcelain Knob, Brass Mountings, -	-	-	

BRECKENRIDGE'S PATENT SASH FASTENERS.

SECURE AND BURGLAR PROOF.

Patented Nov. 30, 1869, and Jan. 3, 1871.




No. 143.

No. 141	Silver Plated, Porcelain Knobs, Plated Mountings,	_	_	per gross, \$
No. 142	Silver Plated, Porcelain Knob and Acorn Rivet,		_	1 "
No. 143	Silver Plated, Acorn Knob and Acorn Rivet,	L	_	**
No. 141	Nickel Plated, Acorn Knob and Acorn Rivet, -	_	-	46



No. 127

No. 127	Oriental Bronze throughout, with Screws,		-	-	-	per gross, \$
	Polished Brass, Lacquered, with Screws,			-	-	
No. 147	Solid Bronze throughout, with Screws,	_	_	_	_	44



No. 129.


No. 129 Plain, Polished, Nickel Plated throughout, with Screws, -

per gross, \$

BRECKENRIDGE'S PATENT SASH FASTENERS.


SECURE AND BURGLAR PROOF.

Patented Nov. 30, 1869, and June 3, 1871.



No. 128.

NO.	DESCRIPTION.				Per Gross.
128	Oriental Bronze throughout, with Screws,	-	-	-	\$
130	Same Pattern, Nickel Plated throughout, with Screws,	-	-	-	




No. 150.

NO.	DESCRIPTION.								ross.
150	Solid Bronze throughout, with Screws,	-	-	-	-	-	-	\$	
151	Heavy, Electro Plated, with Screws,	-	-	-	-	-	-		

PATENT LEVER SASH FASTENERS.


Patented April 27, 1875.

Packed with Screws, except Nos. 251 and 252.



Nos. 251, 253, 263, 265.

NO.	DESCRIPTION.									
251	Plain Bronzed Iron,	-	-	-	-	\$				
253	Plain Silver Plated, Fancy Plated Rivet,	-	-	-	-					
263	Plain Polished Brass, Fancy Polished Rivet, -	-	-	-	-					
265	Plain Nickel Plated on Brass, Nickel Plated Rivet,	-	-	-	-					



Nos. 252, 254, 264, 266.

NO.	DESCRIPTION.			Per Gross.
252	Plain Bronzed Iron, Porcelain Knob,	-	-	\$
254	Plain Silver Plated, Fancy Plated Rivet, Porcelain Knob, -	-	-	
264	Plain Polished Brass, Fancy Polished Rivet, Porcelain Knob,		-	
266	Plain Nickel Plated on Brass, Fancy Nickel Plated Rivet, Porce	elain	Knob,	


PATENT LEVER SASH FASTENERS.

Patented April 27, 1875.



Nos. 255, 257, 259, 261.

NO.	DESCRIPTION.					Per Gross.
255	Fancy Oriental Bronzed, Fancy Bronzed Rivet,	-	-	-	-	\$
257	Fancy Nickel Plated on Iron, Fancy Nickeled Rivet,		-		-	
259	Fancy Silver Plated on Brass, Fancy Plated Rivet,	-	-	-	-	
261	Fancy Genuine Bronze, Bronze Rivet,	-	-	-	-	



Nos. 256, 258, 260, 262.


NO.	DESCRIPTION.	Per Gross.
256	Fancy Oriental Bronzed, Fancy Bronzed Rivet, Porcelain Knob,	\$
258	Fancy Nickel Plated on Iron, Fancy Nickeled Rivet, Porcelain Knob,	
260	Fancy Silver Plated on Brass, Fancy Plated Rivet, Porcelain Knob, -	
262	Fancy Genuine Bronze, Fancy Bronze Rivet, Porcelain Knob,	

SHUTTER BARS.



No. 931.

NO.	SIZE.	IZE. DESCRIPTION.					
930	2 inch.	Oriental Bronze, Packed with Screws,	-	~	-	-	
931	2½ inch.	Oriental Bronze, Packed with Screws,			-	-	
932	3 inch.	Oriental Bronze, Packed with Screws,	-		-	-	



Nos. 934, 937.

NO.	SIZE.	DESCRIPTION.							
933	2 inch.	Nickel Plated, Packed with Screws, -	-	-	-	-			
934	2½ inch.	Nickel Plated, Packed with Screws, -	-	-	-	-			
935	3 inch.	Nickel Plated, Packed with Screws, -	-	-	-	-			
936	2 inch.	Genuine Bronze, Packed with Screws,	-	-	-	-			
937	2½ inch.	Genuine Bronze, Packed with Screws,	-	-	-	-			
938	3 inch.	Genuine Bronze, Packed with Screws,	-	-	-	-			

FLUSH SHUTTER OR SASH LIFTS.

WITH SCREWS TO MATCH.



Nos. 910, 911, and 912.

NO.		DE	ESCRII	TION.							Per Gross.
910	Fancy, Oriental Bronze,	-	-	-		-	-	-	-	-	
911	Fancy, Lacquered Brass,	-	-	-	-	-	-	-	-	-	
912	Fancy, Nickel Plated, -	-	-	-	-	-	-	-	-	-	




Nos. 915, 920.

NO.		DE	SCRIP	TION.						Per Dozen.
915	Solid Bronze Metal, -	-	-	-	-	-	2	-	-	-
920	Nickel Plated on Brass,	-	-	-	-	-	-	-	-	-



Nos. 906, 908.




Nos. 905, 907.

NO,	DESCRIPT	ION.						1	Per Dozen,
906	Heavy Silver Plated, for Upper Sash,	-	-	-	-	-	-	-	
908	Solid Bronze Metal, for Upper Sash,	-	-	-	-	-	-	-	
905	Heavy Silver Plated, for Lower Sash,	-	-	-	-	-	-	-	
907	Solid Bronze Metal, for Lower Sash,	-	-	-	-	-	-	-	


SASH PLATES AND PULLS.






Nos. 918 and 919.

NO.			Per Dozen.								
916	Genuine Bronze Sash Plate,	-	-	-	-	-		-	-	\$	
917	Oriental Bronze Sash Plate,	-	-	-	-	-	-	-	-		
918	Genuine Bronze Sash Pull,		-	-	-		-		-		
919	Oriental Bronze Sash Pull.				-	_	_		_		




DESCRIPTION. NO. SIZE. Per Dozen. Fancy Oriental Bronze, for Window or Sliding Sash, 901



ORNAMENTAL SHUTTER KNOBS.

NO.	DESCRIPTION,									Per Gross.
101	Oriental Bronze on Iron, -	-	-	-	_	-	-	-	-	\$
102	Heavy Nickel Plated on Iron,	-		-			_	-	-	
103	Solid Bronze Metal, -	-	-	-	-	-	-	-	-	
	SILVERED GLASS.									Per Dozen.
104	Silvered Glass Shutter Knob	S,	_	_	_	_	_	_	_	\$



PORCELAIN SHUTTER KNOBS.

WITH SCREW THROUGH KNOB.

			No. 1	5.			
		WITH	BRONZED I	RON SCREV	vs.		
Inch,	<u>5</u>	34	I	I ½	$I^{\frac{1}{2}}$	I 3/4	2
Per gross,	\$						
			No. 1	6.			
		WITH	TINNED IF	RON SCREW	S.		
Inch,	<u>5</u>	$\frac{3}{4}$	I	I 1/4	$I\frac{1}{2}$	I 3/4	2
Per gross,	\$						
			No. 1	7.			
		WITH	BRASS CAP	PED SCREV	vs.		
Inch,	5	34	I	I 🛊	$I\frac{1}{2}$	I 3	2
Per gross,	\$						
			No. 1	8.			
		WITH	SILVER CAI	PPED SCRE	ws.		
Inch,	5	$\frac{3}{4}$	I	I ½	$I^{\frac{1}{2}}$	I 3/4	2
Per gross,	\$						
22							



Full size of Key.

THE IMPROVED SHEPARDSON PATENT LOCKS.

We take pleasure in introducing to the notice of our patrons the IMPROVED SHEPARDSON LOCK, believing them to be the most secure Lock of the kind in the market, while for beauty of design and finish, durability, and good workmanship, they are superior to any.

The parts are made interchangeable, so that they can be renewed, in case of wear, without trouble or great expense.

They can be applied to old work without defacing it, as the old key-hole is removed in boring for the cylinder.


They are now used by the most prominent Desk and Furniture Manufacturers, to whom we refer those who wish to know how they have stood the test of actual wear.

The number of changes obtained is very large, ranging from 10,000 in four tumbler Locks, to 1,000,000 in a six tumbler Lock.


Duplicate Keys can be supplied promptly.

Our arrangements with the manufacturers are such that we guarantee our prices to be as low as the Locks can be obtained.


We respectfully solicit a trial for the Locks.



Nos. 30 to 331-2 and 030 to 0331-2.



Nos. 60 to 631-2 and 060 to 0631-2.



Nos. 66 to 69 1-2 and 066 to 069 1-2.

(For Description, see pages 172 and 173.)

IMPROVED

SHEPARDSON DRAWER LOCKS.

1 INCH DROP.


NO. 50 B	SIZE. 2 x 1 ⁸ / ₈ in.	DESCRIPTION. Per Dozen. Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Steel
50½ B	2 x 1 % in.	Keys, 4 Tumblers, 10,000 changes, \(^2_4\) to $\frac{7}{8}$ inch Wood, Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Nickel
		Plated Keys, 4 Tumblers, 10,000 changes, 4 to 7 inch Wood,
51 N	2 x 1 g in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, \(\frac{8}{8}\) to \(\frac{7}{8}\) inch Wood,
51½ N	2 x 1 g in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, 4 to 2 inch Wood,
53 S	2 x 1 8 in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, 4 to 8 in Wood,
53½ S	2 x 1 % in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, \(\frac{9}{8} \) inch Wood,
050 B	2 x 1 8 in.	Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,
050½ B	2 x 18 in.	Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to ½ in Wood,
051 N	2 x 1 g in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to ½ inch Wood, -
051½ N	2 x 1 8 in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,
053 S	2 x 1 g in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,
053½ S	2 x I 8 in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, \(\frac{1}{8}\) inch Wood,
		1½ INCH DROP.
NO. 60 B	SIZE. 2 x 1 ⁷ / ₈ in.	DESCRIPTION. Per Dozen. Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Steel Keys, 4 Tumblers, 10,000 changes, $\frac{\pi}{4}$ to $\frac{\pi}{8}$ inch Wood,
601 B	2 x 1 ² / ₈ in.	Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{9}{4}$ to $\frac{1}{8}$ inch Wood,
61 N	2 x 1 ½ in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, $\frac{9}{8}$ to $\frac{1}{8}$ inch Wood, -
61½ N	2 x 1 ² / ₈ in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, \(\frac{9}{8} \) inch Wood,
63 S	2 x 1 ⁷ / ₈ in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, $\frac{3}{4}$ to $\frac{7}{8}$ inch Wood, -
63½ S	2 x 1 ⁷ / ₈ in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, 4/4 to 2/8 inch Wood,

IMPROVED


SHEPARDSON DRAWER LOCKS.

11 INCH DROP.

060 B 2	x 13 in.	Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Steel	Per Dozen.
		Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
060½ B 2	x I g in.	Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
061 N 2	x 1 % in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
061½ N 2	x 17 in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
063 S 2	х і § in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood, -	
063½ S 2 2	x I § in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
		$1\frac{1}{2}$ INCH DROP.	
	SIZE. x 2 in.	DESCRIPTION. Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Steel Keys, 4 Tumblers, 10,000 changes, \(\frac{3}{4} \) to \(\frac{7}{6} \) inch Wood,	Per Dozen.
66½ B 2	x 2 in.	Finished Bronze Escutcheon, Bolt and Case, Finely Tool Finished, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, 4 to 4 inch Wood,	
67 N 2	x 2 in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, \(\frac{3}{8} \) inch Wood,	
67½ N 2:	x 2 in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{8}{4}$ to $\frac{7}{8}$ inch Wood,	
69 S 2 2	x 2 in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, \$\frac{a}{4}\$ to \$\frac{7}{3}\$ inch Wood,	
69½ S 2 x	c 2 in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{8}{4}$ to $\frac{7}{8}$ inch Wood,	
066 B 2 N	c 2 in.	Finished Bronze Escutcheon, Bolt, and Case, Finely Tool Finished, 2 Steel Keys, 4 Tumblers, 10,000 changes, $\frac{1}{2}$ to $\frac{6}{8}$ inch Wood,	
066½ B 2 3	c 2 in. 1	Finished Bronze Escutcheon, Bolt, and Case, Finely Tool Finished, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{1}{2}$ to $\frac{6}{8}$ inch Wood,	
067 N 2 N	x 2 in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to ½ inch Wood,	
067½ N 2 x	x 2 in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{1}{2}$ to $\frac{5}{8}$ inch Wood,	
069 S 2 X	c 2 in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
069½ S 2 x	c 2 in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	




Nos. 86 to 89 1-2.



Nos. 70 to 731-2 and 070 to 0731-2.





Nos. 76 to 79 1-2 and 076 to 079 1-2. (For Description, see pages 175 and 176.)

IMPROVED

SHEPARDSON CHEST LOCKS.

$1\frac{1}{2}$ INCH DROP.

NO.	INCH.	DESCRIPTION.	Per Dozen.
86 B	3½ x 2½ in.	Finished Bronze Escutcheon, Bolt, and Case, 2 Steel Keys, 1,000,000 changes, 14 inch Wood,	
86½ B	3½ x 2¼ in.	Finished Bronze Escutcheon, Bolt, and Case, 2 Nickel Plated Keys, 1,000,000 changes, 1½ inch Wood,	İ
87 N	3½ x 2½ in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 1,000,000 changes, 1½ inch Wood,	
87½ N	3½ x 2½ in.	Nickel Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 1,000,000 changes, 14 inch Wood,	
89 S	3½ x 2½ in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Steel Keys, 1,000,000 changes, 1½ inch Wood,	
89‡ S	3½ x 2½ in.	Silver Plated Escutcheon, Bronze Bolt and Case, 2 Nickel Plated Keys, 1,000,000 changes, 11 inch Wood,	

DESK OR BOX LOCKS.

1 INCH DROP.


NO.	INCH.	DESCRIPTION.	Per Dozen.
70 B	2 x 1 % in.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, 4 to 7 inch Wood,	
70½ B	2 x 17 in.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{\pi}{4}$ to $\frac{\pi}{8}$ inch Wood,	
71 N	2 x 17 in.	Nickel Plated Escutcheon, Bronze Bo't, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, 2 to 2 inch Wood,	
71½ N	2 x 1 ½ in.	Nickel Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{2}{4}$ to $\frac{7}{8}$ inch Wood,	
73 S	2 x 1 ½ in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, $\frac{8}{4}$ to $\frac{7}{8}$ inch Wood,	
73½ S	2 x 1 % in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, 2 to 2 inch Wood,	

DESK OR BOX LOCKS.

CONTINUED.

1 INCH DROP.


NO.	SIZE.	DESCRIPTION.	Per Dozen.
070 B	2 x 1% in.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
070½ B	2 x 17 in.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
071 N	2 x I 7 in.	Nickel Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
071½ N	2 x I 7 in.	Nickel Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to ½ inch Wood,	
073 S	2 x 17/8 in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
073½ S	2 x 17 in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to & inch Wood,	
		1½ INCH DROP.	
NO.	SIZE.	DESCRIPTION.	Per Dozen.
76 B	2½ x 2½ in.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, 4 to 8 inch Wood,	
76½ B	2½ x 2½ in.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, 4 to 7 inch Wood,	
77 N	2½ x 2½ in.	Nickel Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, $\frac{3}{4}$ to $\frac{7}{8}$ inch Wood,	
77½ N	2½ x 2½ in.	Nickel Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{9}{4}$ to $\frac{7}{8}$ inch Wood,	
79 S	2½ x 2½ in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate. 2 Steel Keys, 4 Tumblers, 10,000 changes, 2 to 2 inch Wood,	
79½ S	2½ x 2½ in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, 4 to 7/8 inch Wood,	
076 B	2½ x 2½ în.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to § inch Wood,	
076½ B	2½ x 2½ in.	Finished Bronze Escutcheon, Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{1}{2}$ to $\frac{5}{8}$ inch Wood,	
077 N	$2\frac{1}{8} \times 2\frac{1}{8}$ in.	Nickel Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to $\frac{6}{8}$ inch Wood,	
077½ N	2½ x 2½ in.	Nickel Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, ½ to $\frac{5}{8}$ inch Wood,	
079 S	2½ x 2½ in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Steel Keys, 4 Tumblers, 10,000 changes, ½ to ½ inch Wood,	
079½ S	2½ x 2½ in.	Silver Plated Escutcheon, Bronze Bolt, Case, and Striker Plate, 2 Nickel Plated Keys, 4 Tumblers, 10,000 changes, $\frac{1}{2}$ to $\frac{5}{8}$ inch Wood,	



No. 36.

SHEPARDSON'S RIM NIGHT LATCH.

NO. 36	SIZE. 2½ x 3½ in.	DESCRIPTION. Finished Bronze Escutcheon and Bolt, Japanned Iron Case and Striker, arranged to unlock and lock back on inside, with Knob, three Steel Keys, 100,000 changes, -	Per Dozen.
36½	2½ x 3½ in.	Finished Bronze Escutcheon and Bolt, Japanned Iron Case and Striker, arranged to unlock and lock back on inside, with Knob, three Nickel Plated Keys, 100,000 changes,	
37	2½ x 3½ in.	Nickel Plated Escutcheon, Bronze Bolt, Japanned Iron Case and Striker, arranged to unlock and lock back on inside, with Knob, three Steel Keys, 100,000 changes,	
371/2	$2\frac{1}{2} \times 3\frac{1}{2}$ in.	Nickel Plated Escutcheon, Bronze Bolt, Japanned Iron Case and Striker, arranged to unlock and lock back with In- side Knob, three Nickel Plated Keys, 100,000 changes,	
39	$2\frac{1}{2} \times 3\frac{1}{2}$ in.	Silver Plated Escutcheon, Bronze Bolt, Japanned Iron Case and Striker, arranged to unlock and lock back with Inside Knob, three Steel Keys, 100,000 changes,	
391/2	2½ x 3½ in.	Silver Plated Escutcheon, Bronze Bolt, Japanned Iron Case and Striker, arranged to unlock and lock back with Inside Knob, three Nickel Plated Keys, 100,000 changes,	



SHEPARDSON'S


STORE DOOR RIM LOCKS.

NO. 0	stze. 3 x 6 in.	DESCRIPTION. Per Dozen. Finished Bronze Escutcheon, Bolt and Inside Knob for locking and unlocking, Japanned Iron Case and Striker, four Steel Keys, 1,000,000 changes,
$0\frac{1}{2}$	3 x 6 in.	Finished Bronze Escutcheon, Bolt and Inside Knob for locking and unlocking, Japanned Iron Case and Striker, four Nickel Plated Keys, 1,000,000 changes,
1	3 x 6 in.	Nickel Plated Escutcheon, Bronze Bolt and Inside Knob, Japanned Iron Case and Striker, four Steel Keys, 1,000,000 changes,
11/3	3 x 6 in.	Nickel Plated Escutcheon and Inside Knob, Bronze Bolt, Japanned Iron Case and Striker, four Steel Keys, 1,000,000 changes,
3	3 x 6 in.	Silver Plated Escutcheon, Bronze Bolt and Inside Knob, Japanned Iron Case and Striker, four Steel Keys, 1,000,000 changes,
31/2	3 x 6 in.	Silver Plated Escutcheon and Knob, Bronze Bolt, Japanned Iron Case and Striker, Inside Knob, four Steel Keys, 1,000,000 changes,

Each Lock is packed in a paper box with fittings, screws, and printed directions, complete, for putting on, and can be readily applied by any person of ordinary intelligence.

(For Cut of Escutcheon and Trimmings, see page 177.)

SOLID BRONZE STORE DOOR HANDLE.




Half Size.

NO.

DESCRIPTION.

Per Set.

Genuine Bronze Store Door Handle,




MORTISE STORE DOOR LATCH

AND SOLID BRONZE HANDLES.

NO.	Genuine Bronze Store Door Handle, with Mortise Latch, Plain Front,	Per Set.
14	Genuine Bronze Store Door Handle, with Mortise Latch, Rabbeted Front,	
20	Genuine Bronze Store Door, Double Handles, with Mortise Latch, Plain Front,	
21	Genuine Bronze Store Door, Double Handles, with Mortise Latch, Rabbeted Front,	

(For Cut of Handle used with this Latch, see page 179.)




HALF SIZE.

ORNAMENTAL STORE DOOR HANDLES.

ORIENTAL BRONZE.

NO. DESCRIPTION. Per Dozen.

8 Fancy, Oriental Bronze, with Screws complete, - - - -




HALF SIZE.

HEAVY OBLIQUE STORE DOOR HANDLES.

RIGHT OR LEFT HAND.

NO. DESCRIPTION. Per Dozen.

1 Iron, Japanned, with Plate and Nut, -




HALF SIZE.

OBLIQUE STORE DOOR HANDLES.

RIGHT OR LEFT.

NO.	DESCRIPTION.								F	Per Dozen.	
4	Iron, Japanned, with Plate,	-	-	-	-	-	-	-	-	-	
5	Iron, Japanned, without Plate,	-	-	_	-	-	-	_	-	-	







Half Size.

FANCY CHAIN AND LEVER BOLTS.

SIZE.	DESCRIPTION.				Per Dozen.
6 inch.	Oriental Bronzed Chain Bolts, with Safe Chain,	-	-	-	-
8 inch.	Oriental Bronzed Chain Bolts, with Safe Chain,	•	-	-	
10 inch.	Oriental Bronzed Chain Bolts, with Safe Chain,	-	-	-	-
6 inch.	Oriental Bronzed Lever Bolts,	-	-	-	-
8 inch.	Oriental Bronzed Lever Bolts,	-	-	-	-
10 inch.	Oriental Bronzed Lever Bolts,	-	-	-	-

SUPERIOR CHAIN AND LEVER BOLTS.






Half Size.


н			

SIZE.		DESCRIPTIO	14.						Per Doze
10 inch.	Japanned Cases,	Polished Bolts,	-	-	-	-	-	-	-
8 inch.	Japanned Cases,	Polished Bolts,	-	-	-			-	-
6 inch.	Japanned Cases,	Polished Bolts,	-	-	-	-	-	-	-
4 inch.	Japanned Cases,	Polished Bolts,	-	-	-	-	-	-	-
3 inch.	Japanned Cases,	Polished Bolts,	-	-	-	-	-	-	-
		PATENT LEVER	BOL	TS.					
б inch.	Japanned Case, I	Polished Bolts,	-	-	-	-	-	-	-
8 inch.	Japanned Case, I	Polished Bolts,	-	-	-	-	-		~
10 inch.	Japanned Case, I	Polished Bolts,	-	-	-	-	-	-	-
	For	Safe Chain, add	\$1.5	o to	List.				

SLIDING DOOR SHEAVES.

SLIDING SHUTTER SHEAVES.





Per Doz. Sets.

3 in. Turned Wheel, Iron Rivets,
4 in. Turned Wheel, Iron Rivets,
5 in. Turned Wheel, Iron Rivets,
6 in. Turned Wheel, Iron Rivets,
3 in. Turned Wheel, Iron Rivets,
4 in. Turned Wheel, Brass Rivets,
5 Turned Wheel, Brass Rivets,
6 In. Turned Wheel, Brass Rivets,

Per Set

14 in. Iron Case, Turned Wheel, Iron Rivets, - -

1% in. Iron Case, Turned Wheel, Brass Rivets, - -

14 in. Iron Case, Brass Wheel, Iron Rivets, - -

SLIDING DOOR STOP.

Turned Wheel, Brass Rivets, Turned Wheel, Brass Rivets,



23 inch Sheave, runs 33 inches,

Per Dozen.

Iron, Bronzed, - - - Cast Brass, - - - In boxes of one dozen.


SLIDING DOOR RAIL.

Per Foot.

Iron, Painted, -

Cast Brass, Polished, - - -

ISLIDING DOOR SHEAVES.—PATENT ROLLER.




Per Set.

inch Sheave, runs 42 inches,
inch Sheave, runs 46 inches,
inch Sheave, runs 51 inches,
inch Sheave, runs 66 inches,
inch Sheave, runs 66 inches,
inch Hanging Sheave, runs 66 inches,
inch Hanging Sheave, runs 120 inches,

N. B. Care should be taken not to use Sheaves for a longer run than marked on list.

Cuts on this page half size.



21 INCH.

AXLE PULLEYS.

DETACHABLE FACE AND WHEEL

SIZE.	DESCRIPTION.						Per Dozen.
ı¾ in.	Painted Face, Milled Axles,	-	-	-	-	-	-
2 in.	Painted Face, Milled Axles,	-	-	-	-	-	-
2 in.	Brass Face and Bronzed Wheel, -	-	-	-		-	-
2½ in.	Lacquered Face, Turned Wheel and Axle,	-	-	-	-	-	-



SASH CORD FASTENERS.

Sash Cords attached to Windows, by the means of the above article, can at any time be detached for the purpose of washing the Windows, and replaced without trouble.


NO.	DESCRIPTION,	Per Gross.
1	Soch Cord Fasteners Bronzed -	



Round Stubbs and Plates.



Square Stubbs and Plates.



Flush Shutter Lift.

STORE DOOR AND SHUTTER TRIMMINGS.

SHUTTER LOCKS.

DRAWER PULLS.


CUTS HALF SIZE.





Nos. 13 and 13 1-2.

NO.	DESCRIPTION.						Per Gross.
11	Small Oval Drawer Pulls, Japanned,	-	-	-	-	-	
111/2	Small Oval Drawer Pulls, Copper Bronzed,	-	•	-	-	-	
13	Small Oval Drawer Pulls, Japanned,	-	-	-	-	-	-
1312	Small Oval Drawer Pulls, Copper Bronzed,	-	-	-	-	-	-



Nos. 14 and 14 1-2.



Nos. 10 and 10 1-2.

NO.	DESCRIPTION.							Per Gross.
14	Medium Oval Drawer Pulls, Japanned, -	-	-	-	-	-	-	
1412	Medium Oval Drawer Pulls, Copper Bronzed,	-	-	-	-	-	-	
10	Large Oval Drawer Pulls, Japanned, -	-	-	-	-	-	-	
1012	Large Oval Drawer Pulls, Copper Bronzed,	-	-			-	-	



Nos. 15 and 151-2.



N	os.	1	2	and	L	2	1-2	į

NO.	DESCRIPTION.							Per Gross.
15	Medium Oval Drawer Pulls, Japanned, -	-		-	-	-	-	
151/2	Medium Oval Drawer Pulls, Copper Bronzed,	-	-		-	-	-	
	T 0 1D DH T			-		-	-	
1212	Large Oval Drawer Pulls, Copper Bronzed,	-	-	-	-	-	-	

DRAWER PULLS.


CUTS HALF SIZE.



Nos. 260 and 26 1-2 Patented July 28, 1868.



No. 5.



Nos. 4 and 41-2.

NO.	DESCRIPTION.										
260	Finished in two-color Bronze, -	-	-	-	-	-	-	-			
261/2	Copper Bronzed and Varnished, -	-	-	-	-	-	-	-			
4	Finished in two-color Bronze, small size,	-	-	-	-	-	-	-			
41/2	Coppered and Varnished, small size,	-	-	-	-	-	-	-			
5	With Key Escutcheon, in two-color Bron	ze,	-	-	-	-	-	-			



Nos. 250 and 25 1-2. Patented July 28, 1868.



Nos. 2 and 21-2.

NO.	DESCRIE	TION.							Per Gross.
250	Finished in two-color Bronze, -	-	-	-	-			-	
251/2	Copper Bronzed and Varnished, -	-	-	-	-	-	-	-	
2	Finished in two-color Bronze, large size		-		-	-	-		
212	Copper Bronzed and Varnished, -	-	-	-	-	-	_	_	



Nos. 17 and 19.



Nos. 7 and 9.

NO.	DESCR	RIPT	ion.							Per Gross.
7	Finished imitation Antique Bronze,		-	-	-	-	-	-	-	
9	Finished in two-color Bronze,		-	-	-	-	-	-	-	•
17	Finished imitation Antique Bronze,		-	-	-	-	-	- 1		
19	Finished in two-color Bronze,		-	-	-	-	-	-	-	

DRAWER PULLS.

CUTS HALF SIZE.



No. 8.

NO. DESCRIPTION. Per Gross.

8 Finished in three-color Bronze, - - - - - - - -



Nos. 290 and 291. Patented.

NO.	DESCRI	TION.							Per Gross.
290	Oriental Bronze, packed with Screws,	-	-		-	-	-	-	
291	Genuine Bronze, packed with Screws,	-	-	-	-	-	-	-	




Nos. 294 and 295. Patented.



Nos. 292 and 293. Patented.

N	ю.	DESCRIPTION.											Per Gross.
2	92 C	Oriental	Bronze, p	acked with	Screws,	-	-	-	-	-	-	-	
2	93 G	Genuine	Bronze, p	acked with	Screws,	-	-	-	-	-	-	-	
2	94 C	Oriental	Bronze, p	acked with	Screws,		-	-	-	-	-	-	
2	95 G	Genuine	Bronze, p	acked with	Screws,	-	-	-	-	-	-	-	
2	96 C	Oriental	Bronze, p	acked with	Screws,				-		-	-	
2	.97 G	Genuine	Bronze, p	acked with	Screws,					·	~	-	
-													




No. 30

ORNAMENTAL CUPBOARD LATCH.

NO DESCRIPTION. Per Dozen.

30 Oriental Bronze, with Genuine Bronze Metal Kncb, - - -






No. 1.

RURAL CUPBOARD CATCHES.

NO.	SIZE.	DESCRIPTION.	Per Gross.
1	13 in.	Japanned, with Fancy Brass Knob,	
2	2 in.	Japanned, with Fancy Brass Knob	
3	2¼ in.	Japanned, with Fancy Brass Knob,	
5	I¾ in.	Japanned, with Porcelain Knob,	
6	2 in.	Japanned, with Porcelain Knob,	
7	2¼ in.	Japanned, with Porcelain Knob,	




CUPBOARD BUTTON.

WITH SPRING TO HOLD IN POSITION.

NO. SIZE. DESCRIPTION. Per Gross. 75 2\frac{1}{8} inch. Oriental Bronzed, with Screws, -

76 2\frac{1}{2} inch. Brass, Lacquered, with Screws, -




No. 181.

Use 3 inch Bit in Mortising into Door.

FENN'S IMPROVED DOOR BOLT.


NO.	DESCRIPTION.	Per Dozen.
180	Lacquered Face, Iron Bolt, Bronzed Thumb Knob,	-
181	Lacquered Face, Iron Bolt, Plated Thumb Knob,	-
182	Lacquered Face, Brass Bolt, Plated Thumb Knob,	
183	All Cast Brass, with Plated Thumb Knob,	-



TOWEL ROLLERS.

WITH FANCY IRON BRACKETS.

SIZE.				DESCRIPT	ION.						Per Dozen.
19 inch.	Maple	Roller.	Bronzed	Brackets,	-	-	-	-	-	-	-
24 inch.	Maple	Roller,	Bronzed	Brackets,	-	-	-	-	-	-	-



SHELF BRACKETS.

Patented January 5, 1868.

NO.	SIZE.	DESCRIPTION.	Per Pair.
20	4 x 6 in.	Maroon and Gold Finish,	
21	5 x 7½ in.	Maroon and Gold Finish,	
22	6 x 8½ in.	Maroon and Gold Finish,	
23	7 x 9½ in.	Maroon and Gold Finish,	
24	8 x 10½ in.	Maroon and Gold Finish,	
25	10 x 13½ in.	Maroon and Gold Finish,	

Packed with Screws to Match.

SHELF BRACKETS.


NO.	SIZE.	DESCRIPTION.	Per Pair
30	4 x 6 in.	Bronzed in Relief, -	-
31	5 x 7 in.	Bronzed in Relief, -	-
32	6 x 8½ in.	Bronzed in Relief, -	-
33	7 x 9½ in.	Bronzed in Relief, -	-
34	8 x 10 in.	Bronzed in Relief, -	-
35	10 x $13\frac{1}{2}$ in.	Bronzed in Relief, -	-



Nos 30 to 35.


NO.	SIZE.	DESCRIPTION.
40	4 x 6 in.	Oriental Bronze Finish, -
41	5 x 7½ in.	Oriental Bronze Finish, -
42	6 x 8 in.	Oriental Bronze Finish, -
43	7 x 9½ in.	Oriental Bronze Finish, -
44	8 x 11 in.	Oriental Bronze Finish, -
45	9 x 12 in.	Oriental Bronze Finish, -

Packed with Screws to Match.




Nos. 40 to 45.

SHELF BRACKETS.









No. 2. No. 4. No. 1.

These Cuts only show the design: the proportionate sizes are not represented.

NO.	SIZE.	DESCRIPTION.	Per Pair.
1	13½ x 16 in.	Finely Bronzed, three colors,	
2	9½ x 14 in.	Finely Bronzed, three colors,	
3	11½ x 13 in.	Finely Bronzed, same style as No. 4,	
4	10 x 11½ in.	Finely Bronzed,	
5	6 x 9 in.	Finely Bronzed, same style as No. 4,	
6	4 1 х б in.	Finely Bronzed,	

WARDROBE AND HAT AND COAT HOOKS.

Cuts Half Size.







No. 25.



5

5½

Nos. 4 to 6.

Nos.	I
Per Gross,	
Nos.	$I^{\frac{1}{2}}$







Per Gross.

Per Gross,







No. 35.

NO.		DESCRIP	TION.						
18	Japanned,		-	-	-	-	-	-	-
1812	Bronzed,		-	-	-	-	-	-	-
19	Japanned,		-	-		-	-	-	-
1912	Bronzed,		-	-	-	-	-	-	-
25	Japanned, Wrought Iron Sc.	rew, -	-	-	-	-	-	-	-
251/2	Bronzed, Wrought Iron Screen	ew, -	-	-	-	-	-	-	-
35	Japanned Double Wardrobe	Hooks,	-	-	-	-	-	-	-
3516	Bronzed Double Wardrobe I	Hooks.	_	_	-		-	_	_







NO.	DESCRIPTION.				Per Gross.
12	Japanned Hat and Coat Hooks,	-	-	-	-
121/2	Bronzed Hat and Coat Hooks,		-	-	-
40	Japanned Hat and Coat Hooks, Drilled Screw Holes,	-	-	-	-
401/2	Bronzed Hat and Coat Hooks, Drilled Screw Holes,	-	-	_	-

HAT AND COAT HOOKS.


STRONG AND HEAVY.





	No. 7.			No. 8	3.	
NO.	DESCRIPTION.					Per Gross
7	Japanned, Drilled and Countersunk for No. 9 Screws,	-	-	-	_	
71/2	Bronzed, Drilled and Countersunk for No. 9 Screws,	-	-	-	_	
	Japanned, Drilled and Countersunk for No. 9 Screws,	-	-	-	-	
81/2	Bronzed, Drilled and Countersunk for No. 9 Screws,	-	-	-	-	





					110	. 10.			
NO.	DESCRIPTION.								Per Gross.
11	Japanned, with Cast Iron Screw,	-	-	-	-	-	-	-	
11½	Bronzed, with Cast Iron Screw,	-	-	-	-	-	-	-	
13	Japanned, with Cast Iron Screw,	-	-	-	-	-	-	-	
13½	Bronzed, with Cast Iron Screw,	-	-	-	-	-	-	-	





	110. 10.			110.	*O.	
NO.	DESCRIPTION.					Per Gro
45	Japanned, with Cast Iron Screw,	_	_	_	_	
451/2	Bronzed, with Cast Iron Screw,	_	_	_	_	
46	Japanned, Drilled and Countersunk for No. 9 Screw,	-	-	-	-	
461/2	Bronzed, Drilled and Countersunk for No. 9 Screw,	-	-	-	-	







No. 23.

HAT AND COAT HOOKS.

NO.	DESCRIPTION					Per Gross.
15	Japanned, Drilled and Countersunk for No. 9 Screws,		-	-	-	
23	Japanned, Screw Holes Countersunk for No. 9 Screws,	_	-	-	-	
2312	Bronzed, Screw Holes Countersunk for No. 9 Screws,	-	-	-	-	



No. 21.





NO.	DESCRIPTION.					Per Gross.
21	Japanned, Screw Holes Countersunk for No. 9 Screws,		-	-	-	
2112	Bronzed, Screw Holes Countersunk for No. 9 Screws,	-	-	-	-	
20	Japanned, Drilled and Countersunk for No. 9 Screws,	-	-	-	-	
2012	Bronzed, Drilled and Countersunk for No. 9 Screws,	-	-	_	_	




CLOTHES LINE HOOKS.

NO.				DES	CRIPT	TION.						Per Gross.
1	Japanned, Heavy,		-	-	-	-	-	-	-	-	-	-
2	Japanned, Medium,		-	-	-	_	-	-	-	-	-	-
1	Tinned, Heavy,		-	-	-	-	-	-	-	-	-	-
2	Tinned, Medium,	-	-	-	-	-	-	-	-	-	-	-






EXTRA HEAVY HAT AND COAT HOOKS.




FOOT SCRAPERS.



NO. DESCRIPTION. Per Dozen.

10 Fancy Foot Scraper, for Wood or Stone, - - - - - -






Nos. 301 and 302.

FANCY COAL SHOVELS.

NO.				DES	CRIP:	rion.						Per Dozen.
301	Japanned, -	-	-	-	-	-	-	-	-	-	-	
302	Oriental Bronzed,	-	-	-	-	-	-	-	-	-	-	

NEW PATTERN COVER LIFTER.

WITH TACK HAMMER AND CLAW COMBINED.



A very convenient and useful article.

Per Gross.

Cover Lifter, Bronzed Iron,

HEEL CORKS, OR CREEPERS.




Per dozen pairs.

Assorted, five sizes,

THE PARKER & WHIPPLE CO.

202




NEW IMPROVED CABIN OR COAL TONGS.

Cabin Tongs, Iron, Japanned,

Per Dozen.


LYMAN'S MAGIC CAN OPENER.

REVOLVING STEEL CUTTER.



WILLMOT'S PATENT ELASTIC DOOR STOPS.

WITH GIMLET POINTED SCREWS.




No. 8. Full Size.

No. 8, $2\frac{1}{2}$ inch, Per gross,	Birch.	Walnut.	Mahogany.	Enameled.
No. 8½, 3 inch, Per gross,	Birch.	Walnut.	Mahogany.	Enameled.
No. 8 ³ / ₄ , 3 ¹ / ₂ inch, Per gross,	Birch.	Walnut.	Mahogany.	Enameled.

WILLMOT'S FLOOR DOOR STOPS.

Zebra Wood, to stop a Door at any point on the Floor, - - Per gross,








Flower and Scroll. Height 27 inches.

FIRE IRON STANDS.

Per Dozen. Cupid Pattern, Finely Bronzed, Flower Pattern, Finely Bronzed,




BLOWER STANDS.

FINISHED IN THREE-COLOR BRONZE.

NO. DESCRIPTION. Per Dozen. Blower Stand, Extra Fine Finish,

PORCELAIN PICTURE KNOBS.

WITH SCREW AND BASE.



NO.	DESCRIPTION.			Per Gross.
97	Medium size Knob, Tinned Screw and Base, 12 inch Screw,	-	_	-
97	Medium size Knob, Tinned Screw and Base, 14 inch Screw,	-	_	-
98	Medium size Knob, Plated Screw and Base, 1½ inch Screw,	-	_	
98	Medium size Knob, Plated Screw and Base, 13 inch Screw,	-	-	-

PICTURE NAILS.

PORCELAIN CENTER.



No. 45. Head Screws on.

Nos.	44	45	46	47
Size,	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$ inch.
Per gross,				



No. 58.

NO.	SIZE.	DESCRIPTION.				Per Gross.	
58	2½ in.	White, Ruby, Blue, or Green Center,	-	_	-	-	

BRASS, SILVER, AND NICKEL PLATED CAPPED SCREWS.


ROUND OR FLAT HEAD.



		1-2	2 Inch.			7-	8 Inch.	
	No.	Brass. Per Gross.	Silver Plated. Per Gross.	Nickel Plated. Per Gross.	No.	Brass. Per Gross.	Silver Plated. Per Gross.	Nickel Plated. Per Gross.
	3	\$0.70	\$0.80	\$0.80	6	\$1.08	\$1.21	\$1.21
	4	0.75	0.84	0.84	7	″ 1.1 <i>7</i>	" I.34	″ I.34
	5	0.82	0.93	0.93	8	1.30	1.47	1.47
	6	0.93	1.07	1.07	9	1.40	1.61	1.61
	7	1.04	1.20	1.20	10	1.47	1.69	1.69
	8	1.15	1.35	1.35	11 12	1.56 1.68	1.85 2.00	2.00
	9	1.15	1.50	1.50	13	1.87	2.35	2.35
		•	1.60	1.60	14	2.00	2.50	2.50
	10	1.34	1.00	1.00	15	2.25	2.75	2.75
		5-8	8 Inch.		16	2.60	3.10	3.10
	3	0.75	0.82	0.82		1	Inch.	- 1
	1	0.80	0.88	0.88	6	1.15	1.27	1.27
	-	0.88			7	1.25	1.40	1.40
1	5		0.98	0.98	8	1.37	1.53	1.53
	6	1.00	1.13	1.13	9	1.47	1.68	1.68
	7	1.11	1.25	1 25	10	1.52	1.75	1.75
	8	1.23	1.40	1.40	11 12	1.62 1.75	1.94 2.10	1.94 2.10
	9	1.34	1.55	1.55	13	2.00	2.45	2.45
	10	1.40	1.63	1.63	14	2.25	2.70	2.43
	11	1.47	1.80	1.80	15	2.43	2.96	2.95
	12	1.57	1.90	1.90	16	2.85	3.35	3.35
					17	3.00	3.50	3.50
		3-:	# Inch.		18	3.20	3.75	3.75
	4	0.84	0.90	0.90		1 1	-4 Inch.	
	5	0.93	1.04	1.04	6	1.37	1.50	1.50
	6	1.05	1.16	1.16	7	I.44	1.55	1.55
	7	1.15	1.30	1.30	8	1.50	1.65	1.65
	8	1.27	1.44	1.44	9	1.60 1.68	1.80	1.80
	9	1.36	1.57	1.57	11	1.80	1.95 2.10	1.95
	10	I.44	1.65	1.65	12	1.05	2.25	2.25
	11	1.52	1.82	1.82	13	2.20	2.60	2.60
-	12	1.60	1.95	1.95	14	2.40	2.80	2.80
1	13	1.80	2.30	2.30	15	2.75	3.24	3.24
-	14	1.93	2.45	2.45	16	3.08	3.68	3.68
1	15	2.05	2.60	2.60	17	3.40 3.70	4.00 4.40	4 00 4.40
	16	2.20	2.75	2.75	20	4.00	4.40 4.60	4.60
1								

CAPPED SCREWS.—Continued.

	1 1	!-2 Inch.		f	2 1	-4 Inch.	
No.	Brass. Per Gross.	Silver Plated. Per Gross.	Nickel Plated. Per Gross.	No.	Brass. Per Gross.	Silver Plated. Per Gross.	Nickel Plated. Per Gross.
7	\$1.71	\$1.88	\$1.88	8	\$2.50	\$2.70	\$2.70
8	1.77	1.94	1.94	10	2.50	2.85	2.85
9	1.85	2.05	2.05	11	2.70	3.00	3.00
10	1.95	2.15	2.15	12	3.00	3.25	3.25
11	2.10	2.38	2 38	13	3.30	3.75	3.23
12	2.25	2.50	2.50	14	3.60	4.00	4.00
13	2 42	2.85	2.85	15	3.85	4.30	4.30
14	2.70	3.15	3.15	16	4.25	4.80	4.80
15	3.00	3.50	3.50	17	4.65	5.20	5.20
16	3.35	3.90	3.90	18	5.00	5.70	5.70
17	3.70	4.40	4.40	20	5 75	6.75	6.75
18	4.05	4.80	4.80	22	6.00	7.00	7.00
20	4.85	5.85	5.85	24	6.25	7.25	7.25
	1 5	3-4 Inch.			2 1	-2 Inch.	
7	1.96	2.15	2.15	10			
8	2.00	2.15	2.15	10 11	3.15	3.45	3.45
9	2.07	2.30			3.25	3.55	3.55
10	2.15		2.30	12	3.35	3.65	3.65
11	2.15	2.40	2.40	13	3.55	4.00	4 00
12	2.45	2.55 2.80	2.55 2.80	14	3.85	4.25	4.25
13	2.45	3.12	3.12	15	4.30	4.75	4.75
14	3.00	ŭ	9	16	4.60	5.10	5.10
15	ŭ	3.45 3.80	3.45 3.80	17	4.90	5.55	5.55
16	3.30	ŭ	•	18	5.25	6.10	б.10
17	3.70	4.10 4.60	4.10	· 20 22	6.10	7.30	7.30
18	3.95 4.35	5.10	4.60 5.10	22	6.30	7.50	7.50
		Inch.	3		2 3	3-4 Inch.	
				16	4.95	5.40	5.40
8	2.15	2.20	2.20	18	5.90	6.55	6.55
9	2.20	2.40	2.40	20	7.10	8.15	8.15
10	2.25	2.50	2.50	22	7.50	8.30	8.30
11	2.40	2.70	2.70	24	8.75	8.60	8.60
12	2.70	3.00	3.00				
13	2.95	3.45	3.45		3	Inch.	
14 15	3.25	3.75	3.75	16	f 10	6.10	6.10
16	3.55	4.05	4.05	18	5.40		
	3.90	4.40	4.40		6.70	7.55	7.55
17	4.30	5.00	5.00	20	7.90 8 ar	9.15	9.15
18	4.70	5.40	5.40	22	8.25	10.00	10.00
20 22	5.40 r.60	6.50	6.50	24 26	9.00	10.50 11.00	10.50 11.00
22	5.60	6.75	6.75	20	9.50	11.00	11.00




SEA ISLAND COTTON CHALK LINES.

NO.	LENGTH.	DESCRIPTION.				Per Gross.
1	15 feet.	Bleached Chalk Line, warranted, -	-		-	
2	18 feet.	Bleached Chalk Line, warranted, -	-	-	-	
3	20 feet.	Bleached Chalk Line, warranted, -	-	-	-	
4	30 feet.	Bleached Chalk Line, warranted, -	-	-	-	
5	40 feet.	Bleached Chalk Line, warranted, -	-	-	-	
20	20 feet.	Bleached Chalk Line, warranted, -	-	-	-	
21	20 feet.	Bleached Chalk Line, warranted, -	-	-	-	
6	60 feet.	Bleached Chalk Line, on Spool, see Cut,	-	-	-	
7	бо feet.	Bleached Chalk Line, on Spool, see Cut,	-	-	-	
8	60 feet.	Bleached Chalk Line, on Spool, and Awl,	see (Cut,	-	
9	60 feet.	Bleached Chalk Line, on Spool, and Awl,	see (Cut,	-	
	100 feet.	Timber Lines, warranted,	-		-	

SUPERIOR FISH LINES.

NO.	LENGTH.	DESCRIP'	TION.							Per Gross.
	15 feet.	Silk Fish Lines,	-	-	-	-	-	•	-	
	30 feet.	Silk Fish Lines,				-	-	-	-	
Smelt.	18 feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
0	18 feet.	Linen Fish Lines,	-	-		-	-	-	-	
1	18 feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
1	24 feet.	Linen Fish Lines,		-		-	-	-	-	
2	18 feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
2	24 feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
2	зб feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
2	48 feet.	Linen Fish Lines,		-	-	-	-	-	-	
3	24 feet.	Linen Fish Lines,		-	-	-	-	-	-	
3	зб feet.	Linen Fish Lines,		-	-	-	-	-	-	
3	48 feet.	Linen Fish Lines,			-		-	-	-	
3	72 feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
4	зб feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
4	48 feet.	Linen Fish Lines,		-	-	-	-	-	-	
4	72 feet.	Linen Fish Lines,	-	-	-	-		-	-	
5	48 feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
5	72 feet.	Linen Fish Lines,	-	-	-	-	-	-	-	
6	48 feet.	Linen Fish Lines,			-	-	-	-	-	
6	72 feet.	Linen Fish Lines,			-	-	-	-	-	
6	84 feet.	Mackerel Fish Lines,		-	-	-	-	-	-	
7	84 feet.	Mackerel Fish Lines,		-	-	-	-	-	-	
8	84 feet.	Mackerel Fish Lines,		-	-	-	-	-	-	

HATCH SCALES.




No. 30.

NO.			DESC	RIPT	ION.						Per Dozen.
30	Weighs 8 pounds,	-	-	-	-	-	-	-	-	-	-
40	Weighs 8 pounds,	Bronzed,	-	-	-	-	-	-	-	-	-

MALLEABLE STANDARDS, SEALED WEIGHTS.

Packed one in a box.



No. 25.

NO.	DESCRIPTION.	Per Dozen.
25	Tea Scale, weighs 4 pounds, two in a box,	
35	Tea Scale, weighs 4 pounds, two in a box, Bronzed,	
	Sealed weights, packed two in a box.	



Nos. 2 and 3.

POLISHED NAIL HAMMERS.

No. 1 Polished, Cast Iron, - - - - - - - per dozen, \$
No. 2 Polished, Cast Iron, - - - - - - "
No. 3 Polished, Malleable Iron, - - - - - "
"



No. 5. Adz Eye.

PARKER'S PATENT STEEL FACED HAMMERS.

No. 5 Steel Faced, Highly Polished, with Varnished Handles, per dozen, \$



POLISHED CARPET HAMMERS.

No. 45 With Brass Ferrule, and Claw in Handle, - - per gross, \$
No. 48 Large, with Brass Ferrule, and Claw in Handle, - ""

POLISHED CAST TACK HAMMERS.

No. 37 per gro., \$ No. 38 per gro., \$ No. 39 per gro., \$




SUPERIOR HATCHETS.

The face of this Hammer, and the entire blade of the Hatchet, are made of the best refined Cast Steel, tempered with great care, and warranted equal in quality to any Hatchet in market. Patented Feb. 10, 1874, and July 13, 1869.

No. 5 Cast Steel Blade and Face, - - - - per dozen, \$
No. 6 Cast Steel Blade and Face, - - - "








No. 20. Safe and Light combined.

PARKER'S PATENT POCKET MATCH SAFES.


NO.	DESCRIPTION.					Per Gross.
21	Planished Tin,	-	-	-	-	-
22	Nickel Plated on Planished Tin,	-	-	-	-	-
						Per Dozen.
23	Silver Plated on first quality Nickel Silver, -	-	-	-	-	-
24	Gold Plated on first quality Nickel Silver, -	-	-	-	-	-
	FOR LONG MATCHES					
	FOR LONG MATCHES					Per Gross.
25	Planished Tin,	-	-	-	-	-
26	Nickel Plated on Planished Tin,		-	-	-	-
						Per Dozen.
27	Silver Plated on first quality Nickel Silver,	-	-	-	-	-
28	Gold Plated on first quality Nickel Silver, -	-	-	-	-	-
22 23	Gilding inside, extra,	_	-	_	_	-
26 27						
20	Planished Tin,	-	-	-	-	~
	Candles for No. 20 (6 in a box), per gross boxes,	-	-	-	-	-

PARKER'S PATENT SELF-CLOSING MATCH SAFES.



No. 2.

NO.	I	DESCR	IPTIC	N.						Per Gross.
1	Bronzed, for Parlor Matches, -		-	-	-	-	-	-	-	
2	Bronzed, for Ordinary Matches	5,	-	-	-	-	-	-		-
3	Bronzed, for Long Matches, -		-	-	-	-	_	-	-	-



No. 30.

NO.					DES	SCRIP:	ΓΙΟΝ.							Per Gross.
30	Bronzed,	-	-	-	-	-	-	-	-	-	-	-	_	

SILVER PLATED ON BEST QUALITY NICKEL SILVER.













NO.

DESCRIPTION.

Per Dozen.

311 Silver Plated, Fancy Top and Bottom, assorted in each half dozen as above,

310 Silver Plated, Fancy Top, O. G. Bottom, assorted in each half dozen,



No. 300.

NO.

DESCRIPTION.

Per Dozen.

300 Silver Plated, O. G. Shield,

Gilding extra, per dozen, \$









No. 321, - - - - - - - Per dozen.

Silver Plated on first quality Nickel Silver, assorted patterns in each half dozen.



Nos. 11 and 320.



No. 10.

NO.			DESC	RIPTI	ON.							Per Gross.
11	Tin, Silver Finished,	-	-	-	-	-	-	-	-	-	-	
10	Tin, Silver Finished,	-	-	-	-	-	-	-	-	-	-	
320	Silver Plated on first q	uality	Nicke	l Silv	ver,	-	_	-	-	_	~	Per Dozen.



No 20


NO.			DESCRIE	PTION.							Per Gross.
20	Plain Top and Bottom,	-	-	-	-	-	-	-	-	-	



No. 81.

NO.		DESC	RIPTI	ON.					Per Gross.
81	Figured Top, Plain Bottom,	-	-	-	-	-	-	-	
*82	Figured Top, Figured Bottom,	-	-	-	-	-	-	-	
83	Figured Top, Plain Bottom,	-	-	-	-	-	-	-	
84	Figured Top, Figured Bottom,	-	-	-	-	-	-	-	
*2	Fancy Tobacco Box, -	-	-	-	-	-	-	-	
†212	Plain Tobacco Box,	-	-	-	-	-	-	-	

*Top and Bottom like Top of No. 81, †Same Size as No. 2.



No. 23.

NO.	DESCRIPTION.										Per Gross	s.		
23	Planished	Tin,	Silvered	Finish,	-		-	` <u>-</u>	-	-	-	-	-	
22	Planished	Tin,	Silvered	Finish,	-		-	-	-	-	-	-	-	

Suitable for Shaving or Soap Boxes.

PATENT SELF-ACTING SPRING TAPE MEASURES.

WITH IMPROVED METHOD OF FASTENING RING TO TAPE.



OVAL CASES.



PLASTIC CASE.

NO.	LENGTH.	DESCRIPTION.	PER DOE.
40	3 Feet.	Plastic, Gravitation Catch,	
41	5 Feet.	Plastic, Gravitation Catch,	•
42	6 Feet.	Plastic, Gravitation Catch,	•
50	3 Feet.	Plastic, Side Catch,	•
51	5 Feet.	Plastic, Side Catch,	
52	6 Feet.	Plastic, Side Catch,	-

NO.	LENGTH.	DESCRIPTION.	PER DO
20	3 Feet.	Silver Plated,	
21	5 Feet.	Silver Plated,	
22	6 Feet.	Silver Plated,	
23	3 Feet.	Lacquered Brass,	
24	5 Feet.	Lacquered Brass,	
25	6 Feet.	Lacquered Brass,	
30	3 Feet.	Silver Plated, Gravitation Catch,	
31	5 Feet.	Silver Plated, Gravitation Catch,	
32	6 Feet.	Silver Plated, Gravitation Catch,	
33	3 Feet.	Lacq'ed Brass, Gravit'on Catch,	
34	5 Feet.	Lacq'ed Brass, Gravit'on Catch,	,
35	6 Feet.	Lacq'ed Brass, Gravit'on Catch,	,
60	3 Feet.	Nickel Plated, Side Catch,	
61	5 Feet.	Nickel Plated, Side Catch,	•
62	6 Feet.	Nickel Plated, Side Catch,	

PATENT CALL BELLS.





No. 5900. NICKEL PLATED AND VERDE. Per Doz.



Per Doz.

Bronze Base, Fancy, Gilt Base, Fancy,

Fancy Base, Gilt Base, Black Base,

Bronze Base, Fancy,



No. 2900.

Per Doz.





Plain Beaded Base,

Per Doz.



No. 2200.

Per Doz.

White Base,

Bronze Base, Fancy,

NEW AND IMPROVED PATENT

CUTTING NIPPERS.



The cutting parts A A, are made to gauge, of choice Steel. They can be taken off to be ground, and when worn out can be replaced at slight expense, making the tool as good as new, while the old kind, as soon as broken, (which is in a short time, on account of the intense heat necessary to weld the Steel on,) are good for nothing but old iron.

This improvement makes the tool the best and cheapest that you can have in your shop.

All extra Cutters warranted to interchange.

NO.	SIZE.						Each.
1	II in.	-	-	-	-	-	
2	10 in.		-	-	-	-	
3	9 in.	-	-	-	-	-	
4	7 in.	-	-	-	-	-	
5	5 in.	-	-	-	-	-	

The length is measured from the Joint to the end of the Handles.

EXTRA CUTTERS 25 CENTS PER PAIR.







